



**DEEPAK
FASTENERS
LIMITED**

Standard Products

INR Price List No. DFL-15

Effective: 1st April 2026



New Product Range

- Countersunk / Flat Socket Head Screw - 10.9
- Socket Button Head Screw - 10.9
- Hex Bolt Inches Grade 5, R and S
- Nylock Nuts



ISO
9001

IATF
16949

ISO
14001

ISO
45001



Limited Warranty And Exclusive Remedy

Deepak Fasteners Limited (DFL) warrants that these products conform to industry standards specified herein and will be free from defects in materials and workmanship. This warranty is expressly given in lieu of any and all other express or implied warranties, including any implied warranty of merchantability or fitness for a particular purpose, and in lieu of any other obligation on our part of DFL will at its option, repair or replace free of charge (excluding all shipping and handling costs) any products which have not been subject to misuse, abuse, or modification and which in its sole determination were not manufactured in compliance with the warranty given above.

The remedy provided herein shall be the exclusive remedy for any breach of warranty or any claim arising in any way out of the manufacture, sale or use of these products. In no event shall Deepak Fasteners be liable for consequential, incidental or any other damages of any nature whatsoever except those specifically provided herein for any breach of warranty or any claim arising in any way of the manufacture, sale or use of these products. No other person is authorised by Deepak Fasteners to give any other warranty, written or oral, pertaining to the products.

Disclaimer

All information contained in this pricelist has been prepared to assist users in their requirements for Fasteners. The information is based on International Fastener Standards. All such source material and information beyond the control of Deepak Fastener Limited (DFL) is subject to change.

Whilst every care has been taken to ensure that all information and technical data is accurate, DFL will not be liable to any customer that relies on any matter, fact or representation nor will it be liable for any subsequent damage or loss resulting from the use of any information contained in this pricelist. Customers are advised to make their own enquiries or seek independent advice regarding the fitness and suitability of the products listed.

Deepak Fasteners Limited has the right to change the price without any information, if there is a big change in the price of steel or zinc. No guarantee can be given for DFL (hex bolt & nut) products which are plated by users and/or outside plates, who may not have considered hydrogen embrittlement problem. The products listed in this pricelist might not be stocked at DFL at all times and customers are advised to enquire the availability of the same.
E. & O. E.

Note

Surface Finish : All the products, unless otherwise ordered, are supplied in black thermal finish with a coat of rust preventive oil.

Packing : All products are supplied in standard packing as described in respective price tables. For sizes M6 (1/4) and above 3% extra packing charges will be applicable if the order quantity is less than one carton.

Plating : No guarantee can be given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

Pricing : GST extra as applicable.



Delivery:

All offers for delivery from stocks are subject to goods remaining unsold at the time of receipt of order. For forward delivery, dates are given without any guarantee and no responsibility can be accepted by the company for delay in delivery or failure to deliver due to circumstances beyond the company's control.

Infringement of patent and trade mark:

When products are forged to customer's drawings and / or specifications, the responsibility to ensure that these do not result in infringement of any patent or trademark will lie entirely with customer concerned and the customer will be solely responsible for the consequence in case of any such infringement.

Order confirmation:

The company accepts no responsibility for orders booked by the company's salesman or representatives, till it is confirmed in writing by the company.

Acceptance and return:

Wrong dispatches should be notified to the company within 15 days from the date of receipt of goods and the Company's consent should be obtained in writing before return of such goods.

Force Majeure:

The company shall not be responsible for failure or delay in delivering the goods or any part thereof (or any consequential damages) due to acts of God, enemies of the Government of India, wars, revolution, embargo, riots, civil or political disturbances, strikes, lock-outs, stoppages of labour.

Certifications:



0045-CPR-1905



IATF 16949



ISO 9001:2015



ISO 14001:2015



NABL ISO/IEC 17025:2017





Hex Head Bolts / Screws

Metric

Dia	M4			M5			M6			M8			
	Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
10	616724	240	4000	616745	252	4000	616767	208	4000				
12	616725	240	4000	616746	253	4000	616768	224	4000	616815	432	1600	
16	616727	281	4000	616748	297	4000	616770	259	4000	616817	488	1600	
18	616728	281	4000	616749	298	4000	616771	278	3000	616818	512	2000	
20	616729	308	4000	616750	324	4000	616772	295	3000	616819	539	1600	
22	624809	334	4000	624810	353	4000	616773	312	3000	616820	566	1600	
25	613042	334	3000	613047	354	4000	616774	336	3000	616821	609	1200	
30	613044	376	4000	613049	398	3000	613054	408	3000	616823	681	1200	
35	613045	402	4000	613050	451	3000	613055	463	1600	613070	797	1200	
40	613046	451	3000	613051	527	3000	613056	520	1600	613071	890	800	
45	794433	505	1200	613052	586	2000	613057	572	1600	613072	975	1200	
50	794434	554	1200	613053	641	1600	613058	623	1600	613073	1,062	800	
55	794435	605	1600	794437	722	1600	613059	678	1600	613074	1,132	800	
60	794436	656	1600	794438	779	1600	613060	729	1200	613075	1,222	800	
65				794439	869	1600	624811	790	1200	613076	1,307	800	
70				794440	930	1600	624812	850	1200	613077	1,397	600	
75				794441	993	1600	624813	911	1200	613078	1,479	600	
80							624814	971	1200	613079	1,566	600	
90							794442	1,152	800	624815	1,760	600	
100							794443	1,278	800	624816	2,005	500	
110							794444	1,655	800	561206	2,470	400	
120							794445	1,791	600	794449	2,930	400	
130							794446	1,928	600	794450	3,147	300	
140							794447	2,070	400	794451	3,507	300	
150							794448	2,199	400	794452	3,766	300	
160										794453	4,003	200	
170										794454	4,241	200	
180										794455	4,477	200	
190										794456	4,715	200	
200										794457	4,952	200	

- Specifications** Generally conforming to IS1364, ISO4014, 4017.
- Threads** ISO Metric 6g as per IS per IS4218.
- Material Mechanical Properties** Property Class 8.8 as per IS1367.
- Note** Prices for fully threaded screws beyond shaded sizes will cost 10% extra.
- Marking** DFL 8.8
- Plating** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.
- 10% will be Charged Extra For Zinc Cr3+Plating**
- Pricing** GST extra as applicable.

Grey highlighted items are full threaded



Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST



Hex Head Bolts / Screws

Metric

Dia	M10			M12			(M14)			M16			
	Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
16	616844	874	1200	616874	1,407	600							
18	616845	922	800										
20	616846	931	800	616876	1,414	600							
22	616847	975	800										
25	616848	1,040	800	616878	1,555	600	616907	2,326	400	616935	3,462	200	
30	616850	1,152	800	616880	1,655	600	616909	2,541	300	616937	3,376	200	
35	616851	1,259	600	616881	1,813	400	616910	2,760	200	616938	3,667	200	
40	613080	1,536	600	616882	1,972	400	616911	2,981	200	616939	3,958	200	
45	613081	1,669	600	613093	2,353	400	616912	3,200	200	616940	4,263	200	
50	613082	1,806	400	613094	2,550	400	613107	3,600	200	616941	4,520	200	
55	613083	1,921	400	613095	2,747	300	613108	3,866	200	613122	5,047	200	
60	613084	2,060	400	613096	2,943	300	613109	4,130	200	613123	5,399	150	
65	613085	2,196	400	613097	3,086	300	613110	4,336	200	613124	5,750	150	
70	613086	2,332	400	613098	3,280	300	613111	4,608	200	613125	6,101	150	
75	613087	2,468	400	613099	3,472	300	613112	4,871	150	613126	6,453	150	
80	613088	2,602	400	613100	3,670	200	613113	5,136	150	613127	6,803	150	
85	613089	2,866	300	613101	4,044	200	613114	5,566	150	613128	7,488	150	
90	613090	2,874	300	613102	4,054	200	613115	5,575	150	613129	7,506	100	
95	613091	3,139	300	613103	4,424	200	613116	6,087	150	613130	8,146	100	
100	613092	3,146	300	613104	4,433	150	613117	6,101	150	613131	8,162	120	
110	624817	3,756	200	613105	4,785	150	613118	6,888	150	613132	8,866	90	
120	624818	4,367	200	613106	5,463	150	613119	7,480	120	613133	9,569	90	
130	624819	4,695	200	624823	5,879	150	613120	7,936	120	613134	10,491	60	
140	624820	5,027	200	624824	6,343	150	613121	8,437	100	613135	11,223	80	
150	624821	5,358	200	624825	6,762	150	624835	8,941	100	613136	11,951	60	
160	794458	6,221	200	624826	7,212	100	624836	9,534	100	613137	12,775	60	
170				624827	8,091	100	624837	11,179	100	624840	14,208	60	
180	794459	6,929	120	624828	8,111	100	624838	11,204	100	624841	14,245	60	
190				624829	9,388	100				624842	16,328	60	
200	794460	7,637	120	624830	9,409	100	791593	13,841	80	624843	16,365	40	
220				624831	10,349	75	791595	15,078	60	624844	17,899	40	
240				624832	11,286	60	791597	16,360	50	624845	19,430	40	
260				624833	12,656	60	791599	17,643	50	624846	20,961	40	
280				624834	13,628	60	791601	18,926	50	624847	22,495	40	
300				794424	14,533	60	791603	20,209	50	624848	24,024	40	



Grey highlighted items are full threaded

1. **Specifications** Generally conforming to IS1364, ISO4014, 4017.

2. **Threads** ISO Metric 6g as per IS per IS4218.

3. **Material Mechanical Properties** Property Class 8.8 as per IS1367.

4. **Note** Sizes in brackets are non-preferred standard.

Prices for fully threaded screws beyond shaded sizes will cost 10% extra.

5. **Marking** DFL 8.8

6. **Plating** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. **Pricing** GST extra as applicable.

Toll Free: **1800 890 1039**



Hex Head Bolts / Screws

Metric

Dia	(M18)			M20			(M22)			
	Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
35				616995	6,780	150				
40	616965	5,268	150	616996	6,803	150				
45	616966	5,617	150	616997	7,243	100				
50	616967	5,969	150	616998	7,725	100	617029	9,612	80	
55	616968	6,364	150	616999	8,162	100	617030	10,182	80	
60	624849	7,149	120	617000	8,604	100	617031	10,710	80	
65	613138	7,506	100	613154	9,612	80	617032	11,282	80	
70	613139	7,945	120	613155	10,138	80	613172	12,333	60	
75	613140	8,383	80	613156	10,665	80	613173	12,992	80	
80	613141	8,780	120	613157	11,193	80	613174	13,651	80	
85	613142	9,634	80	613158	12,221	80	613175	14,931	80	
90	613143	9,657	80	613159	12,249	80	613176	14,965	60	
95	613144	10,513	80	613160	13,271	80	613177	16,208	60	
100	613145	10,536	80	613161	13,299	80	613178	16,240	60	
110	613146	11,413	80	613162	14,355	60	613179	17,834	60	
120	613147	12,291	60	613163	15,406	60	613180	19,170	60	
130	613148	13,502	60	613164	17,094	60	613181	20,061	60	
140	613149	14,416	40	613165	18,155	40	613182	21,400	40	
150	613150	15,325	40	613166	19,104	40	613183	23,001	40	
160	613151	16,117	60	613167	20,114	40	613184	24,355	40	
170	613152	18,905	60	613168	23,585	40	613185	26,990	40	
180	613153	18,951	40	613169	23,640	40	613186	27,058	40	
190	624850	20,911	40	613170	25,978	40	613187	30,264	20	
200	624851	20,957	40	613171	26,035	40	613188	30,333	20	
220	794425	22,779	30	624854	28,425	30	613189	35,366	20	
240	794426	24,693	30	624855	30,820	30	624860	38,570	20	
250				624856	33,156	30				
260	794427	26,606	30	624857	33,213	30	624861	41,775	20	
280	794428	28,522	30	624858	35,606	30	624862	44,977	20	
300	794429	30,436	30	624859	37,998	30	791643	47,339	20	

1. **Specifications** Generally conforming to IS1364, ISO4014, 4017.

2. **Threads** ISO Metric 6g as per IS per IS4218.

3. **Material Mechanical Properties** Property Class 8.8 as per IS1367.

4. **Note** Sizes in brackets are non-preferred standard.

Prices for fully threaded screws beyond shaded sizes will cost 10% extra.

5. **Marking** DFL 8.8

6. **Plating** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. **Pricing** GST extra as applicable.

Grey highlighted items are full threaded



Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST



Hex Head Bolts / Screws

Metric

Dia	M24			(M27)*			M30*		
	Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs
50	617060	12,792	60	617088	19,214	40	617112	25,278	40
55	617061	13,493	80	617089	20,255	40	617113	26,451	40
60	617062	14,194	60	617090	21,201	40	617114	27,675	40
65	617063	14,895	60	617091	22,168	40	617115	28,847	30
70	617064	15,595	60	617092	23,139	40	617116	30,069	30
75	617065	15,991	60	617093	24,107	40	617117	31,292	30
80	613190	18,015	60	617094	25,075	40	617118	32,463	30
85	613191	19,629	60						
90	613192	19,670	40	617096	27,064	40	617120	34,912	30
95	613193	21,284	40						
100	613194	21,325	40	613209	30,732	30	613225	39,091	30
110	613195	22,979	40	613210	33,130	30	613226	41,945	20
120	613196	24,587	40	613211	35,421	30	613227	44,849	20
130	613197	25,737	32	613212	36,695	20	613228	46,888	20
140	613198	27,345	32	613213	38,989	20	613229	49,691	20
150	613199	28,954	28	613214	41,282	20	613230	52,495	20
160	613200	30,564	28	613215	44,063	20	613231	55,299	16
170	613201	33,699	24	613216	48,061	20	613232	58,240	16
180	613202	33,779	20	613217	48,164	20	613233	61,159	16
190	613203	38,443	20	613218	52,403	20	613234	63,590	16
200	613204	38,523	20	613219	52,495	20	613235	66,765	16
220	613205	42,736	20	613220	57,590	12	613236	72,372	10
240	613206	45,929	20	613221	62,179	12	613237	77,977	10
250	624868	49,048	20						
260	624869	49,123	16	613222	66,765	12	613238	83,585	10
280	624870	52,319	16	624873	71,839	12	613239	89,191	10
300	624871	55,513	16	624874	76,913	12	613240	94,796	8

1. **Specifications** Generally conforming to IS1364, ISO4014, 4017.

2. **Threads** ISO Metric 6g as per IS per IS4218.

3. **Material Mechanical Properties** Property Class 8.8 as per IS1367.

4. **Note** Sizes in brackets are non-preferred standard.

Prices for fully threaded screws beyond shaded sizes will cost 10% extra.

* Long Delivery Items - Subject to extended deliveries (3 to 4 months)

Users are advised to plan their requirements in advance.

5. **Marking** DFL 8.8

6. **Plating** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. **Pricing** GST extra as applicable.

Grey highlighted items are full threaded



Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST



Hex Head Bolts / Screws

Metric

Dia	(M33)*			M36*			M42*			M48			
	Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
75	617141	39,499	30										
80	617142	41,077	20	617166	50,454	20							
90	617144	44,138	20	617168	54,024	18	617215	96,123	12				
100	617146	46,888	20	617170	58,101	16	617217	1,01,671	12	617263	1,41,451	4	
110	613242	51,984	20	613257	63,197	16	617218	1,07,226	12	617264	1,49,229	4	
120	613243	55,553	20	613258	67,275	12	617219	1,08,250	8	617265	1,50,348	4	
130	613244	58,610	16	613259	70,843	12	613286	1,12,964	8	617266	1,56,641	4	
140	613245	62,179	16	613260	74,919	12	613287	1,19,249	8	613312	1,75,135	4	
150	613246	65,746	16	613261	78,997	12	613288	1,25,524	8	613313	1,83,061	4	
160	613247	68,804	16	613262	83,073	12	613289	1,31,803	8	613314	1,91,042	4	
170	613248	75,270	16	613263	91,045	12	613290	1,39,262	8				
180	613249	75,430	12	613264	91,228	12	613291	1,43,777	8	613316	2,06,947	4	
190	613250	81,896	12	613265	99,199	8	613292	1,51,974	8				
200	613251	82,056	12	613266	99,382	8	613293	1,50,524	8	613318	2,14,802	4	
220	613252	89,191	8	613267	1,07,538	8	613294	1,91,807	7	613319	2,71,250	4	
240	613253	95,815	8	613268	1,15,691	8	613295	2,06,044	6	613320	2,89,326	4	
260	613254	1,02,950	8	613269	1,23,847	8	613296	2,20,325	4	613321	3,07,400	4	
280	613255	1,09,576	8	613270	1,31,999	8	613297	2,34,577	4	613322	3,25,475	4	
300	613256	1,16,708	8	613271	1,40,154	8	613298	2,48,820	4	613323	3,43,550	4	

1. **Specifications** Generally conforming to IS1364, ISO4014, 4017.

2. **Threads** ISO Metric 6g as per IS per IS4218.

3. **Material Mechanical Properties** Property Class 8.8 as per IS1367.

4. **Note** Sizes in brackets are non-preferred standard.

Prices for fully threaded screws beyond shaded sizes will cost 10% extra.

* Long Delivery Items - Subject to extended deliveries (3 to 4 months)

Users are advised to plan their requirements in advance.

5. **Marking** DFL 8.8

6. **Plating** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. **Pricing** GST extra as applicable.

Grey highlighted items are full threaded



Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST



Hex Head Bolts / Screws - UNC, BSW - Grade-5, R, and S

Inch

Dia	1/4"		5/16"		3/8"		1/2"	
	₹ Price/ 100 Pcs	Carton Qty	₹ Price/ 100 Pcs	Carton Qty	₹ Price/ 100 Pcs	Carton Qty	₹ Price/ 100 Pcs	Carton Qty
1/2"	293	3700	424	2200	675	1500		
5/8"	325	3500	469	2000	710	1300		
3/4"	357	3000	508	1800	748	1200		
7/8"	380	2700	551	1700	813	1100		
1"	415	2500	596	1600	877	1100	2,021	480
1 1/4"	497	2200	710	1300	1,023	900	2,176	410
1 1/2"	599	1800	822	1100	1,188	800	2,441	380
1 3/4"	682	1600	937	1000	1,352	700	2,730	350
2"	768	1400	1,051	900	1,514	600	3,021	300
2 1/4"			1,162	800	1,678	550	3,312	280
2 1/2"			1,276	700	1,841	500	3,602	250
2 3/4"			1,390	700	2,005	450	3,893	240
3"			1,504	600	2,168	420	4,238	220
3 1/4"					2,332	380	4,512	200
3 1/2"			1,790	550	2,495	360	4,708	190
3 3/4"					2,659	330	5,027	180
4"					2,822	320	5,346	170
4 1/4"					3,288	300	5,636	160
4 1/2"					3,469	280	6,128	150
5"							6,980	140
5 1/2"					4,189	240		

1. **Specifications** Generally conforming to UNC ASME B18.2.1, BSW BS 1083

Grey highlighted items are full threaded

2. **Threads** ANSI B1.1, BS 84

3. **Material Mechanical Properties** Property Class 5, R or S as per the order.

4. **Marking** DFL 5, DFL R or DFL S as per the order.

5. **Plating** No guarantee can given for DFL products which are plated by users or by outside platers.

10% will be Charged Extra For Zinc Cr3+Plating

6. **Pricing** GST extra as applicable.

Note: Grey highlighted items are full threaded,

If any partial threaded size requires in Full thread, price would be charged Rs.10 per kg extra.



Recommended Prices in Rupees are Exclusive of GST.



Hex Head Bolts / Screws - UNC, BSW - Grade-5, R, and S

Inch

Dia	5/8"		3/4"		1"	
	₹ Price/ 100 Pcs	Carton Qty	₹ Price/ 100 Pcs	Carton Qty	₹ Price/ 100 Pcs	Carton Qty
Length						
1"	3,425	290				
1 1/4"	3,564	270				
1 1/2"	3,937	240	6,245	150		
1 3/4"	4,350	210	6,793	140		
2"	4,805	190	7,394	130	15,972	60
2 1/4"	5,257	170	8,049	120		
2 1/2"	5,712	160	8,704	110	18,199	55
2 3/4"	6,165	150				
3"	6,620	140	10,014	100	20,452	50
3 1/4"	7,074	130				
3 1/2"	7,528	120	11,323	80	22,915	45
4"	8,434	110	12,633	70	25,416	40
4 1/2"	9,722	100			27,898	35
5"	10,667	90			30,380	30
6"					35,316	28
7"					40,160	25
8"					47,876	20
9"					54,726	20

Grey highlighted items are full threaded

Hex Nut

Inch

Size	₹ Price/ 100 Pcs	Carton Qty
1/4"-20	184	5500
5/16"-18	228	4200
3/8"-16	324	2800
1/2"-13	742	1200
5/8"-11	1,530	600
3/4"-10	2,590	380
1"-8	6,624	150



- Specifications** Generally conforming to UNC ASME B18.2.1, BSW BS 1083
 - Threads** ANSI B1.1, BS 84
 - Material Mechanical Properties** Property Class 5, R or S as per the order.
 - Marking** DFL 5, DFL R or DFL S as per the order.
 - Plating** No guarantee can given for DFL products which are plated by users or by outside platers.
- 10% will be Charged Extra For Zinc Cr3+Plating**
- Pricing** GST extra as applicable.

Note: Grey highlighted items are full threaded,
if any partial threaded size requires in Full thread, price would be charged Rs.10 per kg extra.



Recommended Prices in Rupees are Exclusive of GST.

Toll Free: 1800 890 1039

- All material is bulk packed



Hex Nuts

Metric

Diameter	Part No.	₹ Price/ 100 Pcs	Carton Qty
M4 x 0.70	623196	53	8000
M5 x 0.80	623197	72	8000
M6 x 1	623198	121	6000
M8 x 1.25	623200	237	4000
(M10) x 1.25	787925	522	1600
M10 x 1.5	623201	484	1600
M12 x 1.75	623202	650	1200
(M12) x 1.5	787926	680	1200
(M14) x 1.5	624890	1,211	600
M14 x 2	623203	1,157	600
(M16) x 1.5	787927	1,636	600
M16 x 2	623204	1,577	600
(M18) x 1.5	624891	2,629	400
M18 x 2.5	623205	2,507	400
(M20) x 1.5	624892	3,286	300
M20 x 2.5	623206	3,128	300
(M22) x 2.5	623207	3,828	200
M24 x 3	623208	5,327	200
(M27) x 3	623209	9,068	100
M30 x 3.5	623210	12,649	80
(M33) x 3.5	623211	17,096	60
M36 x 4	623212	23,358	40
M42 x 4.5	623214	38,658	20
M48 X5	623216	53,055	20

1. **Specifications** Generally conforming to IS1364, ISO4032.

2. **Threads** ISO Metric 6H as per IS4218, ISO261, ISO965.

3. **Material and Mechanical Properties** Property Class 8 as per IS1367, ISO898 Part-II.

4. **Note** Sizes in brackets are non-preferred non-standard sizes.

5. **Marking** M6 to M42 Marking will be DFL 8.

6. **Plating** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. **Pricing** GST extra as applicable.



Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST



Nylock Nuts - Class 8

(Nylon Ring Insert) (Duly White Zinc Plated)

DIN982

Diameter	Part No.	₹ Price/ 100 Pcs	Box Qty	Carton Qty
M5X0.8	612686	144	1000	10000
M6X1	612687	211	500	6000
M8X1.25	612688	381	500	3000
M10X1.5	612689	843	200	1600
M12X1.75	612690	1,207	200	1000
M14X2	612691	1,959	100	600
M16X2	612692	2,531	50	300

DIN985

Diameter	Part No.	₹ Price/ 100 Pcs	Box Qty	Carton Qty
M3	616607	111	1000	20000
M4	616608	122	1000	15000
M5X0.8	616609	138	1000	12000
M6X1	616610	146	500	6000
M8X1.25	616611	293	500	4000
M10X1.5	616612	637	200	1600
M12X1.75	630098	932	200	1200
M16X2	630097	2,054	100	400

Plating No guarantee can given for DFL products which are plated by users or by outside platers.

Spring Washer - Flat Section

Size (mm)	Part No.	₹ Price/ 100 pcs	Pcs. Per Box	Pcs. Per Carton	Size (mm)	Part No.	₹ Price/ 100 pcs	Pcs. Per Box	Pcs. Per Carton
3MM	628174	20	2000	140000	18MM	628183	508	100	1800
4MM	628175	23	2000	120000	20MM	626699	757	100	1400
5MM	628176	29	2000	60000	22MM	628185	820	50	800
6MM	628177	52	1000	32000	24MM	628186	1,227	50	700
8MM	626701	87	1000	14000	27MM	628187	1,369	50	700
10MM	560536	125	500	7000	30MM	787711	2,498	50	500
12MM	626698	186	500	5000	33MM	628223	3,997	25	200
14MM	626702	289	200	3200	36MM	628189	4,185	25	350
16MM	626700	436	100	3000					



1. Specifications : Generally conforming to DIN 127 B, IS 3063 & BS 4464



Plain Washer

Metric

Diameter	Part No.	₹ Price/ 100 Pcs	Carton Qty
4mm	787853	29	16000
5mm	787854	38	8000
6mm	787855	63	8000
8mm	787856	100	6000
10mm	628850	185	4000
12mm	561034	331	3000
14mm	787857	456	1600
16mm	561035	578	1600
18mm	561051	753	1600
20mm	561030	882	1200
22mm	561033	935	1200
24mm	561036	1,655	600
27mm	561031	2,164	400
30mm	561032	2,727	400
33mm	561037	3,853	300
36mm	561038	4,709	200
42mm	561040	9,321	100
48mm	561042	19,413	100

Specifications Generally conforming to IS2016



Button Head Cap Screw

Metric

Dia	M4				
Length	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
10	826808	132	826877	139	4800
12	826809	127	826878	136	4800
16	826810	158	826879	169	4800
20	826811	188	826880	201	3600
22					
25	826812	221	826881	237	3600
30	826813	266	826882	285	3600
35	826814	298	826883	320	3600
40	826815	325	826884	350	3600
45	826816	357	826885	385	3600
50	826817	425	826886	456	2400
55					
60					
65					
70					

M5				
Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
826818	184	826887	197	4800
826819	193	826888	208	4800
826820	242	826889	260	4800
826821	283	826890	305	4800
826822	307	826891	330	3600
826823	329	826892	354	3600
826824	354	826893	384	3600
826825	484	826894	522	2400
826826	535	826895	576	2400
826827	568	826896	614	1600
826828	605	826897	655	1600
826829	643	826898	697	1600
826830	686	826899	744	1600
826831	735	826900	813	1600

Dia	M6				
Length	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
8	826832	233	826901	257	3600
10	826833	244	826902	270	4800
12	826834	239	826903	267	4800
16	826835	292	826904	325	3600
20	826836	334	826905	372	3600
25	826837	403	826906	448	2400
30	826838	473	826907	526	2400
35	826839	531	826908	591	2400
40	826840	591	826909	659	2000
45					
50	826841	721	826910	803	1600
55	826842	790	826911	879	1600
60	826843	850	826912	947	1200
65	826844	914	826913	1,019	1200
70	826845	943	826914	1,057	1200
75	826846	1,090	826915	1,213	1200
80	826847	1,159	826916	1,290	1000
90					

M8				
Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
826848	524	826917	576	2400
826849	527	826918	583	2400
826850	540	826919	604	2000
826851	617	826920	691	2000
826852	753	826921	844	1600
826853	859	826922	960	1200
826854	943	826923	1,057	1200
826855	1,070	826924	1,197	1200
826856	1,159	826925	1,299	1000
826857	1,288	826926	1,441	1000
826858	1,407	826927	1,573	800
826859	1,703	826928	1,882	800
826860	1,931	826929	2,136	600
826861	2,183	826930	2,401	400
826862	2,477	826931	2,710	400
826863	2,899	826932	3,156	400

- 1. Specifications :** Generally conforming to ISO7380
- 2. Thread :** ISO Metric (Coarse Series) 5g6g.
- 3. Thread :** Fully Threaded upto the head.
- 4. Mechanical Properties :** Properties Class conforming to 10.9
- 5. Plating :** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.



Button Head Cap Screw

Metric

Dia	M10					M12				
	Length	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs
16	826864	1,062	826933	1,175	1200	826870	1,634	826939	1,807	600
20	826865	1,127	826934	1,257	1200	826871	1,685	826940	1,879	600
25	826866	1,322	826935	1,474	1000	826872	1,913	826941	2,134	600
30	826867	1,386	826936	1,545	1000	826873	2,142	826942	2,389	600
35	826868	1,606	826937	1,791	800	826874	2,370	826943	2,644	500
40	826869	1,795	826938	2,001	800	826875	2,519	826944	2,809	500
50						826876	3,148	826945	3,512	400

- 1. Specifications :** Generally conforming to ISO7380
- 2. Thread :** ISO Metric (Coarse Series) 5g6g.
- 3. Thread :** Fully Threaded upto the head.
- 4. Mechanical Properties :** Properties Class conforming to 10.9
- 5. Plating :** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.



Countersunk Head Cap Screw

Metric

Dia	M3				
Length	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
8	826572	106	826690	108	4800
10	826573	124	826691	127	4800
12	826574	160	826692	164	4800
16	826575	184	826693	189	3600
20	826576	217	826694	223	3600
25	826577	264	826695	272	3600
30	826578	316	826696	325	2400
35					
40					
45					
50					

M4				
Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
826579	107	826697	112	3600
826580	109	826698	116	3600
826581	119	826699	126	3600
826582	149	826700	158	3600
826583	174	826701	185	3600
826584	218	826702	231	3600
826585	265	826703	282	3600
826586	428	826704	447	3600
826587	652	826705	675	3600
826588	988	826706	1,014	3600
826589	1,125	826707	1,153	2400

Dia	M5				
Length	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
	826590	163	826708	173	3600
10	826591	163	826709	174	3600
12	826592	175	826710	187	3600
16	826593	215	826711	231	3600
20	826594	257	826712	275	3600
25	826595	309	826713	331	3600
30	826596	360	826714	385	3600
35					
40	826597	516	826715	552	2400
45	826598	581	826716	621	2400
50	826599	644	826717	689	1600
55	826600	708	826718	758	1600
60	826601	773	826719	826	1600
65	826602	837	826720	895	1600
70	826603	901	826721	964	1600
75					
80					

M6				
Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
826604	214	826722	230	3600
826605	236	826723	253	3600
826606	265	826724	287	3600
826607	304	826725	330	3600
826608	364	826726	395	2400
826609	424	826727	460	2400
826610	484	826728	525	2400
826611	602	826729	653	2000
826612	676	826730	733	2000
826613	750	826731	814	1600
826614	824	826732	895	1600
826615	898	826733	974	1200
826616	973	826734	1,055	1200
826617	1,046	826735	1,135	1200
826618	1,195	826736	1,290	1200
826619	1,273	826737	1,375	1000

- 1. Specifications :** Generally conforming to ISO10642 / DIN7991
- 2. Thread :** ISO Metric (Coarse Series) 5g6g.
- 3. Thread :** Fully Threaded upto the head.
- 4. Mechanical Properties :** Properties Class conforming to 10.9
- 5. Plating :** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST



Countersunk Head Cap Screw

Metric

Dia	M8					M10					
	Length	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
12	826620	470	826738	506	2400						
16	826621	517	826739	560	2400	826637	908	826755	978	1200	
20	826622	586	826740	636	2000	826638	961	826756	1,043	1200	
25	826623	695	826741	754	1600	826639	1,132	826757	1,228	1000	
30	826624	798	826742	866	1600	826640	1,302	826758	1,413	1000	
35	826625	906	826743	983	1200	826641	1,473	826759	1,598	800	
40	826626	1,009	826744	1,095	1200	826642	1,643	826760	1,783	800	
45	826627	1,111	826745	1,205	1200	826643	1,814	826761	1,968	800	
50	826628	1,357	826746	1,472	1000	826644	2,052	826762	2,227	600	
55	826629	1,516	826747	1,646	800	826645	2,242	826763	2,434	600	
60	826630	1,690	826748	1,835	800	826646	2,434	826764	2,641	500	
65						826647	2,622	826765	2,845	500	
70	826631	2,160	826749	2,332	600	826648	2,809	826766	3,048	400	
75	826632	2,338	826750	2,525	400	826649	3,197	826767	3,452	400	
80	826633	2,517	826751	2,717	400	826650	3,396	826768	3,667	400	
90	826634	2,873	826752	3,102	400	826651	3,796	826769	4,099	400	
100	826635	3,229	826753	3,487	400	826652	4,196	826770	4,531	300	
110	826636	3,697	826754	3,984	400	826653	4,596	826771	4,963	300	
120						826654	4,996	826772	5,395	250	
130						826655	5,396	826773	5,827	200	
140						826656	5,796	826774	6,259	200	

- 1. Specifications :** Generally conforming to ISO10642 / DIN7991
- 2. Thread :** ISO Metric (Coarse Series) 5g6g.
- 3. Thread :** Fully Threaded upto the head.
- 4. Mechanical Properties :** Properties Class conforming to 10.9
- 5. Plating :** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.



Countersunk Head Cap Screw

Metric

Dia	M12					M16					
	Length	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
25	826657	1,747	826775	1,892	600						
30	826658	1,943	826776	2,108	600	826674	3,531	826792	3,832	300	
35	826659	2,189	826777	2,375	500	826675	3,981	826793	4,320	250	
40	826660	2,434	826778	2,641	500	826676	4,438	826794	4,816	250	
45	826661	2,683	826779	2,911	400	826677	4,891	826795	5,307	250	
50	826662	2,931	826780	3,180	400	826678	5,345	826796	5,800	250	
55	826663	3,306	826781	3,587	400	826679	5,798	826797	6,292	200	
60	826664	3,681	826782	3,994	300	826680	6,251	826798	6,783	200	
65						826681	6,909	826799	7,497	150	
70	826665	4,288	826783	4,653	300	826682	7,567	826800	8,211	150	
75	826666	4,592	826784	4,982	300						
80	826667	4,895	826785	5,311	250	826683	8,658	826801	9,395	150	
90	826668	5,501	826786	5,969	250	826684	9,749	826802	10,578	125	
100	826669	6,516	826787	7,037	100	826685	10,839	826803	11,762	100	
110	826670	7,163	826788	7,736	100	826686	11,930	826804	12,946	100	
120	826671	7,811	826789	8,434	150	826687	13,021	826805	14,130	60	
130	826672	8,458	826790	9,133	150	826688	14,111	826806	15,312	60	
140	826673	9,105	826791	9,832	150	826689	15,202	826807	16,496	60	

- Specifications :** Generally conforming to ISO10642 / DIN7991
- Thread :** ISO Metric (Coarse Series) 5g6g.
- Thread :** Fully Threaded upto the head.
- Mechanical Properties :** Properties Class conforming to 10.9
- Plating :** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

Specialized Coatings

The product's life and quality is measured not only by its grades and standards but also by its finish, which prevents it from rusting and adds strength to the material.

Deepak Fasteners offers a wide range of generic and proprietary coating to meet exacting customer requirements. In-house capability includes Zinc / Zinc-Nickel Electroplating, Geomet, Mechanical Galvanizing, Delta Dorcken, Hot Dip Galvanizing, PTFE, Unbrako Wiscoat.



Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST

Construction Fasteners

Arc Welding Stud



The UNBRAKO Arc Welding Stud also known as shear connector is used in the construction of tall buildings, bridges and steel structures. The drawn-arc process produces a full cross-sectional weld forming a bond that is greater than the surrounding material. It improves the strength of the structure.

Product Range :
Metric: M13, M16, M19,
M22, M25 – Any Length

Inch: 1/2", 5/8", 3/4",
7/8", 1" – Any Length

Direct Tension Indicator



UNBRAKO Direct Tension Indicator also known as Auto Torque Indicator, are single-use mechanical load cells designed to indicate the magnitude of preload in the assembly. It shows if the bolt is properly tensioned, very useful while tensioning High Strength Structural Bolts.

Product Range :
Metric: M16 – M36 as per
BS EN 14399-9
Unbrako Feeler Gauge is
available to check if the
required torque is achieved.

Tension Control Structural Bolt



Unbrako
Electric
Shear Wrench

Tension Control Structural Bolt is an easy to install Heavy Duty Bolt used in Steel Frame Construction. It has its own built-in torque control device. The outer socket of wrench rotates the nut until the torque control groove in the spline shears off, thereby achieving proper bolt tension.

Product Range :
Metric: M12 – M30
(any length) – As Per
BS EN 14399 - 10

Unbrako Electric Shear
Wrench is also Available.


Rebar Coupler



Unbrako Rebar Coupler Systems, also known as Reinforcing bar couplers or coupler splicing connection, is a threaded sleeve that guarantees an ultimate tensile strength of the splice (joint) greater than that of the parent bar. Coupler splicing system is suitable for joining reinforcement bars end to end.

Product Range :
Metric: 13mm to 57mm
Bar Diameter

As per ASTM A615, ASTM A706,
ASTM A775, ACI 318, ACI 349,
A.A.S.H.T.O and UBC 1997.



Unbrako provides complete
equipment for bar-end
preparation on site.

Prices available on request.
Contact Unbrako for further detail.

In Fasteners Engineering
You Name It, We Have It



Deepak Fasteners Limited

4th. Floor, First Mall, The Mall, Ludhiana-141001. (INDIA)

Tel: +91-161-5131111, 7131111, Fax: +91-161-2449050, 2774400

EASTERN REGION OFFICE

Deepak Fasteners Ltd.
H.M.P. House, Mezzanine Floor,
Room No.34, No.4 Fairlie Place,
Kolkata-700001.
Mob. 93782-07773
E-mail: kolkata@deepakfasteners.com

AHMEDABAD OFFICE

Deepak Fasteners Limited.
308, Basant Complex, opp. Hdfc Bank
House, Above State Bank of India,
Char Rasta, Navrangpura,
Ahmedabad-380009
Mob. 93756-90170
E-mail: gujarat.sales1@deepakfasteners.com

PUNE OFFICE:-

Deepak Fasteners Limited.
Office No-202, Tower 2, World Trade Center,
Kharadi, Pune - 411014, India
Mob. 82910-85474, 93205-62822
Landline: 020 4604 7663, 020 4604 7663
E-mail: vilas@deepakfasteners.com,

WESTERN REGION OFFICE

Deepak Fasteners Limited.
Office No-233, Bldg-D-8, 2nd Floor, Bhumi World,
Pimplas Mumbai Nasik Highway (NH-3)
Dist, Thane-421302.
Mob. 93237-69275, 93205-62822.
E-mail: vilas@deepakfasteners.com,
mumbai@deepakfasteners.com

SOUTHERN REGION OFFICE

Deepak Fasteners Limited
Ega Trade Centre, 1st Floor, Office No. 5,
809, Poonamallee High Road,
Kilpauk, Chennai - 600010
Mob.: 90251-17708
Tel. No. 044-26612451, 42858843
E-mail: chennai.mkt@deepakfasteners.com