



**DEEPAK
FASTENERS
LIMITED**

Standard Products

INR Price List No. DFL-16

Effective: 1st October 2026



New Product Range

- Countersunk / Flat Socket Head Screw - 10.9
- Socket Button Head Screw - 10.9
- Hex Bolt Inches Grade 5, R and S
- Nylock Nuts



Limited Warranty And Exclusive Remedy

Deepak Fasteners Limited (DFL) warrants that these products conform to industry standards specified herein and will be free from defects in materials and workmanship. This warranty is expressly given in lieu of any and all other express or implied warranties, including any implied warranty of merchantability or fitness for a particular purpose, and in lieu of any other obligation on our part of DFL will at its option, repair or replace free of charge (excluding all shipping and handling costs) any products which have not been subject to misuse, abuse, or modification and which in its sole determination were not manufactured in compliance with the warranty given above.

The remedy provided herein shall be the exclusive remedy for any breach of warranty or any claim arising in any way out of the manufacture, sale or use of these products. In no event shall Deepak Fasteners be liable for consequential, incidental or any other damages of any nature whatsoever except those specifically provided herein for any breach of warranty or any claim arising in any way of the manufacture, sale or use of these products. No other person is authorised by Deepak Fasteners to give any other warranty, written or oral, pertaining to the products.

Disclaimer

All information contained in this pricelist has been prepared to assist users in their requirements for Fasteners. The information is based on International Fastener Standards. All such source material and information beyond the control of Deepak Fastener Limited (DFL) is subject to change.

Whilst every care has been taken to ensure that all information and technical data is accurate, DFL will not be liable to any customer that relies on any matter, fact or representation nor will it be liable for any subsequent damage or loss resulting from the use of any information contained in this pricelist. Customers are advised to make their own enquiries or seek independent advice regarding the fitness and suitability of the products listed.

Deepak Fasteners Limited has the right to change the price without any information, if there is a big change in the price of steel or zinc. No guarantee can be given for DFL (hex bolt & nut) products which are plated by users and/or outside plates, who may not have considered hydrogen embrittlement problem. The products listed in this pricelist might not be stocked at DFL at all times and customers are advised to enquire the availability of the same.
E. & O. E.

Note

Surface Finish : All the products, unless otherwise ordered, are supplied in black thermal finish with a coat of rust preventive oil.

Packing : All products are supplied in standard packing as described in respective price tables. For sizes M6 (1/4) and above 3% extra packing charges will be applicable if the order quantity is less than one carton.

Plating : No guarantee can be given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

Pricing : GST extra as applicable.



Delivery:

All offers for delivery from stocks are subject to goods remaining unsold at the time of receipt of order. For forward delivery, dates are given without any guarantee and no responsibility can be accepted by the company for delay in delivery or failure to deliver due to circumstances beyond the company's control.

Infringement of patent and trade mark:

When products are forged to customer's drawings and / or specifications, the responsibility to ensure that these do not result in infringement of any patent or trademark will lie entirely with customer concerned and the customer will be solely responsible for the consequence in case of any such infringement.

Order confirmation:

The company accepts no responsibility for orders booked by the company's salesman or representatives, till it is confirmed in writing by the company.

Acceptance and return:

Wrong dispatches should be notified to the company within 15days from the date of receipt of goods and the Company's consent should be obtained in writing before return of such goods.

Force Majeure:

The company shall not be responsible for failure or delay in delivering the goods or any part thereof (or any consequential damages) due to acts of God, enemies of the Government of India, wars, revolution, embargo, riots, civil or political disturbances, strikes, lock-outs, stoppages of labour.

Certifications:



ISI Certified



BIS Certified



15048
14399



15048
14399



ISO/IEC
17025

ISO
9001

IATF
16949

ISO
14001

ISO
45001





Hex Head Bolts / Screws

Metric

Dia	M4			M5			M6			M8		
Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
10	616724	244	4000	616745	258	4000	616767	218	4000			
12	616725	244	4000	616746	260	4000	616768	234	4000	616815	455	1600
16	616727	286	4000	616748	305	4000	616770	271	4000	616817	514	1600
18	616728	286	4000	616749	307	4000	616771	291	3000	616818	539	2000
20	616729	314	4000	616750	333	4000	616772	309	3000	616819	568	1600
22	624809	341	4000	624810	364	4000	616773	326	3000	616820	596	1600
25	613042	341	3000	613047	366	4000	616774	352	3000	616821	641	1200
30	613044	385	4000	613049	411	3000	613054	427	3000	616823	717	1200
35	613045	412	4000	613050	466	3000	613055	484	1600	613070	839	1200
40	613046	462	3000	613051	544	3000	613056	544	1600	613071	937	800
45	794433	517	1200	613052	605	2000	613057	598	1600	613072	1,027	1200
50	794434	567	1200	613053	662	1600	613058	652	1600	613073	1,118	800
55	794435	619	1600	794437	745	1600	613059	709	1600	613074	1,192	800
60	794436	672	1600	794438	803	1600	613060	763	1200	613075	1,287	800
65				794439	895	1600	624811	826	1200	613076	1,376	800
70				794440	958	1600	624812	888	1200	613077	1,471	600
75				794441	1,023	1600	624813	952	1200	613078	1,558	600
80							624814	1,014	1200	613079	1,649	600
90							794442	1,200	800	624815	1,852	600
100							794443	1,331	800	624816	2,106	500
110							794444	1,712	800	561206	2,680	400
120							794445	1,853	600	794449	3,050	400
130							794446	1,995	600	794450	3,276	300
140							794447	2,142	400	794451	3,645	300
150							794448	2,275	400	794452	3,913	300
160										794453	4,159	200
170										794454	4,406	200
180										794455	4,651	200
190										794456	4,898	200
200										794457	5,144	200

- Specifications** Generally conforming to IS1364, ISO4014, 4017.
- Threads** ISO Metric 6g as per IS per IS4218.
- Material Mechanical Properties** Property Class 8.8 as per IS1367.
- Note** Prices for fully threaded screws beyond shaded sizes will cost 10% extra.
- Marking** DFL 8.8
- Plating** No guarantee can given for DFL products which are plated by users or by outside platers, who may not have considered hydrogen embrittlement problem.
10% will be Charged Extra For Zinc Cr3+Plating
- Pricing** GST extra as applicable.

 Full thread as per ISO 4017

 Partial thread as per DFL specifications.
(Default is Full thread as per ISO 4017 Spec.)



Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST

Toll Free: **1800 890 1039**



Hex Head Bolts / Screws

Metric

Dia	M10			M12			(M14)			M16		
Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
16	616844	919	1200	616874	1,472	600						
18	616845	969	800									
20	616846	980	800	616876	1,486	600						
22	616847	1,027	800									
25	616848	1,095	800	616878	1,635	600	616907	2,450	400	616935	3,626	200
30	616850	1,213	800	616880	1,743	600	616909	2,676	300	616937	3,555	200
35	616851	1,326	600	616881	1,909	400	616910	2,907	200	616938	3,862	200
40	613080	1,618	600	616882	2,077	400	616911	3,139	200	616939	4,168	200
45	613081	1,758	600	613093	2,478	400	616912	3,370	200	616940	4,489	200
50	613082	1,902	400	613094	2,685	400	613107	3,791	200	616941	4,760	200
55	613083	2,023	400	613095	2,893	300	613108	4,071	200	613122	5,315	200
60	613084	2,169	400	613096	3,099	300	613109	4,349	200	613123	5,686	150
65	613085	2,313	400	613097	3,250	300	613110	4,566	200	613124	6,055	150
70	613086	2,456	400	613098	3,454	300	613111	4,853	200	613125	6,425	150
75	613087	2,599	400	613099	3,656	300	613112	5,130	150	613126	6,796	150
80	613088	2,740	400	613100	3,865	200	613113	5,409	150	613127	7,164	150
85	613089	3,012	300	613101	4,250	200	613114	5,853	150	613128	7,868	150
90	613090	3,027	300	613102	4,269	200	613115	5,871	150	613129	7,905	100
95	613091	3,299	300	613103	4,650	200	613116	6,397	150	613130	8,564	100
100	613092	3,313	300	613104	4,669	150	613117	6,425	150	613131	8,596	120
110	624817	3,938	200	613105	5,039	150	613118	7,240	150	613132	9,337	90
120	624818	4,563	200	613106	5,738	150	613119	7,863	120	613133	10,077	90
130	624819	4,906	200	624823	6,175	150	613120	8,342	120	613134	11,028	60
140	624820	5,252	200	624824	6,661	150	613121	8,869	100	613135	11,797	80
150	624821	5,597	200	624825	7,101	150	624835	9,398	100	613136	12,562	60
160	794458	6,475	200	624826	7,572	100	624836	10,019	100	613137	13,424	60
170				624827	8,472	100	624837	11,694	100	624840	14,895	60
180	794459	7,212	120	624828	8,513	100	624838	11,744	100	624841	14,969	60
190				624829	9,812	100				624842	17,090	60
200	794460	7,949	120	624830	9,853	100	791593	14,438	80	624843	17,164	40
220				624831	10,835	75	791595	15,725	60	624844	18,773	40
240				624832	11,814	60	791597	17,060	50	624845	20,378	40
260				624833	13,227	60	791599	18,397	50	624846	21,984	40
280				624834	14,241	60	791601	19,737	50	624847	23,593	40
300				794424	15,188	60	791603	21,073	50	624848	25,197	40

1. **Specifications** Generally conforming to IS1364, ISO4014, 4017.

2. **Threads** ISO Metric 6g as per IS per IS4218.

3. **Material Mechanical Properties** Property Class 8.8 as per IS1367.

4. **Note** Sizes in brackets are non-preferred standard.

Prices for fully threaded screws beyond shaded sizes will cost 10% extra.

5. **Marking** DFL 8.8

6. **Plating** No guarantee can given for DFL products which are plated by users or by outside platers, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. **Pricing** GST extra as applicable.

 Full thread as per ISO 4017

 Partial thread as per DFL specifications.
(Default is Full thread as per ISO 4017 Spec.)





Hex Head Bolts / Screws

Metric

Dia	(M18)			M20			(M22)		
Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
35				616995	7,119	150			
40	616965	5,548	150	616996	7,164	150			
45	616966	5,915	150	616997	7,628	100			
50	616967	6,286	150	616998	8,135	100	617029	10,123	80
55	616968	6,702	150	616999	8,596	100	617030	10,723	80
60	624849	7,525	120	617000	9,061	100	617031	11,279	80
65	613138	7,905	100	613154	10,123	80	617032	11,881	80
70	613139	8,367	120	613155	10,677	80	613172	12,988	60
75	613140	8,828	80	613156	11,232	80	613173	13,682	80
80	613141	9,246	120	613157	11,788	80	613174	14,376	80
85	613142	10,124	80	613158	12,844	80	613175	15,692	80
90	613143	10,170	80	613159	12,900	80	613176	15,760	60
95	613144	11,050	80	613160	13,950	80	613177	17,039	60
100	613145	11,096	80	613161	14,006	80	613178	17,103	60
110	613146	12,019	80	613162	15,118	60	613179	18,767	60
120	613147	12,944	60	613163	16,224	60	613180	20,173	60
130	613148	14,193	60	613164	17,967	60	613181	21,111	60
140	613149	15,153	40	613165	19,084	40	613182	22,520	40
150	613150	16,109	40	613166	20,089	40	613183	24,191	40
160	613151	16,948	60	613167	21,155	40	613184	25,615	40
170	613152	19,784	60	613168	24,684	40	613185	28,321	40
180	613153	19,876	40	613169	24,794	40	613186	28,458	40
190	624850	21,884	40	613170	27,191	40	613187	31,736	20
200	624851	21,976	40	613171	27,306	40	613188	31,873	20
220	794425	23,891	30	624854	29,812	30	613189	37,049	20
240	794426	25,898	30	624855	32,324	30	624860	40,393	20
250				624856	34,720	30			
260	794427	27,905	30	624857	34,834	30	624861	43,739	20
280	794428	29,914	30	624858	37,344	30	624862	47,081	20
300	794429	31,922	30	624859	39,853	30	791643	49,583	20

1. **Specifications** Generally conforming to IS1364, ISO4014, 4017.

2. **Threads** ISO Metric 6g as per IS per IS4218.

3. **Material Mechanical Properties** Property Class 8.8 as per IS1367.

4. **Note** Sizes in brackets are non-preferred standard.

Prices for fully threaded screws beyond shaded sizes will cost 10% extra.

5. **Marking** DFL 8.8

6. **Plating** No guarantee can given for DFL products which are plated by users or by outside platers, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. **Pricing** GST extra as applicable.

 Full thread as per ISO 4017

 Partial thread as per DFL specifications.
(Default is Full thread as per ISO 4017 Spec.)



Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST

 Toll Free: **1800 890 1039**



Hex Head Bolts / Screws

Metric

Dia	M24			(M27)*			M30*		
Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
50	617060	13,432	60	617088	20,096	40	617112	26,438	40
55	617061	14,168	80	617089	21,184	40	617113	27,665	40
60	617062	14,904	60	617090	22,174	40	617114	28,945	40
65	617063	15,640	60	617091	23,185	40	617115	30,171	30
70	617064	16,375	60	617092	24,201	40	617116	31,449	30
75	617065	16,803	60	617093	25,213	40	617117	32,728	30
80	613190	18,930	60	617094	26,226	40	617118	33,953	30
85	613191	20,587	60						
90	613192	20,669	40	617096	28,306	40	617120	36,514	30
95	613193	22,326	40						
100	613194	22,408	40	613209	32,142	30	613225	40,885	30
110	613195	24,146	40	613210	34,650	30	613226	43,870	20
120	613196	25,836	40	613211	37,047	30	613227	46,907	20
130	613197	27,044	32	613212	38,379	20	613228	49,040	20
140	613198	28,734	32	613213	40,778	20	613229	51,971	20
150	613199	30,424	28	613214	43,177	20	613230	54,904	20
160	613200	32,116	28	613215	46,063	20	613231	57,837	16
170	613201	35,334	24	613216	50,168	20	613232	60,907	16
180	613202	35,494	20	613217	50,374	20	613233	63,966	16
190	613203	40,243	20	613218	54,721	20	613234	66,514	16
200	613204	40,403	20	613219	54,904	20	613235	69,829	16
220	613205	44,769	20	613220	60,233	12	613236	75,693	10
240	613206	48,114	20	613221	65,033	12	613237	81,556	10
250	624868	51,312	20						
260	624869	51,462	16	613222	69,829	12	613238	87,421	10
280	624870	54,813	16	624873	75,114	12	613239	93,284	10
300	624871	58,161	16	624874	80,399	12	613240	99,146	8

1. Specifications Generally conforming to IS1364, ISO4014, 4017.

2. Threads ISO Metric 6g as per IS per IS4218.

3. Material Mechanical Properties Property Class 8.8 as per IS1367.

4. Note Sizes in brackets are non-preferred standard.

Prices for fully threaded screws beyond shaded sizes will cost 10% extra.

* Long Delivery Items - Subject to extended deliveries (3 to 4 months)

Users are advised to plan their requirements in advance.

5. Marking DFL 8.8

6. Plating No guarantee can given for DFL products which are plated by users or by outside platers, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. Pricing GST extra as applicable.

 Full thread as per ISO 4017

 Partial thread as per DFL specifications.
(Default is Full thread as per ISO 4017 Spec.)



Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST

Toll Free: **1800 890 1039**



Hex Head Bolts / Screws

Metric

Dia	(M33)*			M36*			M42*			M48		
Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
75	617141	41,312	30									
80	617142	42,962	20	617166	52,770	20						
90	617144	46,164	20	617168	56,503	18	617215	99,766	12			
100	617146	49,040	20	617170	60,767	16	617217	1,05,548	12	617263	1,46,901	4
110	613242	54,370	20	613257	66,097	16	617218	1,11,314	12	617264	1,54,984	4
120	613243	58,102	20	613258	70,362	12	617219	1,12,568	8	617265	1,56,379	4
130	613244	61,300	16	613259	74,094	12	613286	1,17,607	8	617266	1,62,952	4
140	613245	65,033	16	613260	78,357	12	613287	1,24,150	8	613312	1,82,339	4
150	613246	68,763	16	613261	82,622	12	613288	1,30,683	8	613313	1,90,591	4
160	613247	71,962	16	613262	86,886	12	613289	1,37,220	8	613314	1,98,900	4
170	613248	78,571	16	613263	95,049	12	613290	1,44,915	8			
180	613249	78,892	12	613264	95,415	12	613291	1,49,687	8	613316	2,15,459	4
190	613250	85,501	12	613265	1,03,577	8	613292	1,58,143	8			
200	613251	85,822	12	613266	1,03,943	8	613293	1,56,944	8	613318	2,23,958	4
220	613252	93,284	8	613267	1,12,473	8	613294	1,98,771	7	613319	2,81,101	4
240	613253	1,00,212	8	613268	1,21,000	8	613295	2,13,526	6	613320	2,99,834	4
260	613254	1,07,675	8	613269	1,29,531	8	613296	2,28,325	4	613321	3,18,564	4
280	613255	1,14,605	8	613270	1,38,057	8	613297	2,43,094	4	613322	3,37,295	4
300	613256	1,22,064	8	613271	1,46,586	8	613298	2,57,855	4	613323	3,56,027	4

1. **Specifications** Generally conforming to IS1364, ISO4014, 4017.

2. **Threads** ISO Metric 6g as per IS per IS4218.

3. **Material Mechanical Properties** Property Class 8.8 as per IS1367.

4. **Note** Sizes in brackets are non-preferred standard.

Prices for fully threaded screws beyond shaded sizes will cost 10% extra.

* Long Delivery Items - Subject to extended deliveries (3 to 4 months)

Users are advised to plan their requirements in advance.

5. **Marking** DFL 8.8

6. **Plating** No guarantee can given for DFL products which are plated by users or by outside platers, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. **Pricing** GST extra as applicable.

 Full thread as per ISO 4017

 Partial thread as per DFL specifications.
(Default is Full thread as per ISO 4017 Spec.)



Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST



Hex Head Bolts / Screws - UNC, BSW - Grade-5, R, and S

Inch

Dia	1/4"		5/16"		3/8"		1/2"	
Length	₹ Price/ 100 Pcs	Carton Qty	₹ Price/ 100 Pcs	Carton Qty	₹ Price/ 100 Pcs	Carton Qty	₹ Price/ 100 Pcs	Carton Qty
1/2"	306	3700	445	2200	706	1500		
5/8"	339	3500	492	2000	744	1300		
3/4"	372	3000	534	1800	786	1200		
7/8"	397	2700	579	1700	854	1100		
1"	433	2500	626	1600	921	1100	2,119	480
1 1/4"	519	2200	746	1300	1,074	900	2,286	410
1 1/2"	625	1800	863	1100	1,248	800	2,564	380
1 3/4"	711	1600	984	1000	1,420	700	2,867	350
2"	801	1400	1,104	900	1,590	600	3,173	300
2 1/4"			1,220	800	1,762	550	3,479	280
2 1/2"			1,340	700	1,934	500	3,783	250
2 3/4"			1,460	700	2,106	450	4,089	240
3"			1,580	600	2,277	420	4,451	220
3 1/4"					2,449	380	4,739	200
3 1/2"			1,877	550	2,621	360	4,945	190
3 3/4"					2,793	330	5,280	180
4"					2,964	320	5,615	170
4 1/4"					3,439	300	5,920	160
4 1/2"					3,628	280	6,427	150
5"							7,307	140
5 1/2"					4,381	240		

1. **Specifications** Generally conforming to UNC ASME B18.2.1, BSW BS 1083

2. **Threads** ANSI B1.1, BS 84

3. **Material Mechanical Properties** Property Class 5, R or S as per the order.

4. **Marking** DFL 5, DFL R or DFL S as per the order.

5. **Plating** No guarantee can given for DFL products which are plated by users or by outside platers.

10% will be Charged Extra For Zinc Cr3+Plating

6. **Pricing** GST extra as applicable.

Grey highlighted items are **Full Thread**

Note: Grey highlighted items are full threaded,

If any partial threaded size requires in Full thread, price would be charged Rs.10 per kg extra.



Recommended Prices in Rupees are Exclusive of GST.



Hex Head Bolts / Screws - UNC, BSW - Grade-5, R, and S

Inch

Dia	5/8"		3/4"		1"	
Length	₹ Price/ 100 Pcs	Carton Qty	₹ Price/ 100 Pcs	Carton Qty	₹ Price/ 100 Pcs	Carton Qty
1"	3,580	290				
1 1/4"	3,743	270				
1 1/2"	4,135	240	6,559	150		
1 3/4"	4,569	210	7,135	140		
2"	5,047	190	7,766	130	16,717	60
2 1/4"	5,522	170	8,454	120		
2 1/2"	6,000	160	9,142	110	19,047	55
2 3/4"	6,475	150				
3"	6,953	140	10,518	100	21,417	50
3 1/4"	7,430	130				
3 1/2"	7,907	120	11,893	80	23,997	45
4"	8,859	110	13,269	70	26,616	40
4 1/2"	10,193	100			29,215	35
5"	11,183	90			31,814	30
6"					36,983	28
7"					42,055	25
8"					50,016	20
9"					57,102	20

Grey highlighted items are **Full Thread**

Hex Nut

Inch

Diameter	₹ Price/ 100 Pcs	Carton Qty
1/4"-20	192	5500
5/16"-18	239	4200
3/8"-16	340	2800
1/2"-13	779	1200
5/8"-11	1,607	600
3/4"-10	2,709	380
1"-8	6,920	150



- Specifications** Generally conforming to UNC ASME B18.2.1, BSW BS 1083
 - Threads** ANSI B1.1, BS 84
 - Material Mechanical Properties** Property Class 5, R or S as per the order.
 - Marking** DFL 5, DFL R or DFL S as per the order.
 - Plating** No guarantee can given for DFL products which are plated by users or by outside platers.
- 10% will be Charged Extra For Zinc Cr3+Plating**
- Pricing** GST extra as applicable.

Note: Grey highlighted items are full threaded,
If any partial threaded size requires in Full thread, price would be charged Rs.10 per kg extra.



Recommended Prices in Rupees are Exclusive of GST.

Toll Free: **1800 890 1039**

- All material is bulk packed



Hex Nuts

Metric

Diameter	Part No.	₹ Price/ 100 Pcs	Carton Qty
M4 x 0.70	623196	55	8000
M5 x 0.80	623197	75	8000
M6 x 1	623198	127	6000
M8 x 1.25	623200	249	4000
(M10) x 1.25	787925	545	1600
M10 x 1.5	623201	507	1600
M12 x 1.75	623202	684	1200
(M12) x 1.5	787926	714	1200
(M14) x 1.5	624890	1,269	600
M14 x 2	623203	1,215	600
(M16) x 1.5	787927	1,714	600
M16 x 2	623204	1,655	600
(M18) x 1.5	624891	2,744	400
M18 x 2.5	623205	2,622	400
(M20) x 1.5	624892	3,436	300
M20 x 2.5	623206	3,275	300
(M22) x 2.5	623207	4,012	200
M24 x 3	623208	5,579	200
(M27) x 3	623209	9,443	100
M30 x 3.5	623210	13,189	80
(M33) x 3.5	623211	17,775	60
M36 x 4	623212	24,286	40
M42 x 4.5	623214	40,194	20
M48 X5	623216	55,076	20

1. **Specifications** Generally conforming to IS1364, ISO4032.

2. **Threads** ISO Metric 6H as per IS4218, ISO261, ISO965.

3. **Material and Mechanical Properties** Property Class 8 as per IS1367, ISO898 Part-II.

4. **Note** Sizes in brackets are non-preferred non-standard sizes.

5. **Marking** M6 to M42 Marking will be DFL 8.

6. **Plating** No guarantee can given for DFL products which are plated by users or by outside platers, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. **Pricing** GST extra as applicable.



Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST



Nylock Nuts - Class 8

(Nylon Ring Insert) (Duly White Zinc Plated)

DIN982

Diameter	Part No.	₹ Price/ 100 Pcs	Box Qty	Carton Qty
M5X0.8	612686	148	1000	10000
M6X1	612687	218	500	6000
M8X1.25	612688	395	500	3000
M10X1.5	612689	875	200	1600
M12X1.75	612690	1,253	200	1000
M14X2	612691	2,030	100	600
M16X2	612692	2,620	50	300

DIN985

Diameter	Part No.	₹ Price/ 100 Pcs	Box Qty	Carton Qty
M3	616607	112	1000	20000
M4	616608	124	1000	15000
M5X0.8	616609	141	1000	12000
M6X1	616610	151	500	6000
M8X1.25	616611	304	500	4000
M10X1.5	616612	662	200	1600
M12X1.75	630098	968	200	1200
M16X2	630097	2,128	100	400

Plating No guarantee can given for DFL products which are plated by users or by outside platers.

Spring Washer - Flat Section

Dia (mm)	Part No.	₹ Price/ 100 pcs	Pcs. Per Box	Pcs. Per Carton	Dia (mm)	Part No.	₹ Price/ 100 pcs	Pcs. Per Box	Pcs. Per Carton
3	628174	20	2000	140000	18	628183	508	100	1800
4	628175	23	2000	120000	20	626699	757	100	1400
5	628176	29	2000	60000	22	628185	820	50	800
6	628177	52	1000	32000	24	628186	1,227	50	700
8	626701	87	1000	14000	27	628187	1,369	50	700
10	560536	125	500	7000	30	787711	2,498	50	500
12	626698	186	500	5000	33	628223	3,997	25	200
14	626702	289	200	3200	36	628189	4,185	25	350
16	626700	436	100	3000					



1. Specifications : Generally conforming to DIN 127 B, IS 3063 & BS 4464



Plain Washer

Metric

Diameter	Part No.	₹ Price/ 100 Pcs	Carton Qty
4mm	787853	30	16000
5mm	787854	39	8000
6mm	787855	65	8000
8mm	787856	104	6000
10mm	628850	193	4000
12mm	561034	345	3000
14mm	787857	476	1600
16mm	561035	603	1600
18mm	561051	785	1600
20mm	561030	920	1200
22mm	561033	973	1200
24mm	561036	1,728	600
27mm	561031	2,256	400
30mm	561032	2,830	400
33mm	561037	4,017	300
36mm	561038	4,913	200
42mm	561040	9,678	100
48mm	561042	20,082	100

Specifications Generally conforming to IS2016



Button Head Cap Screw

Metric

Dia	M4				
Length	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
10	826808	135	826877	142	4800
12	826809	131	826878	140	4800
16	826810	163	826879	174	4800
20	826811	193	826880	206	3600
22					
25	826812	228	826881	244	3600
30	826813	274	826882	293	3600
35	826814	307	826883	329	3600
40	826815	335	826884	360	3600
45	826816	368	826885	396	3600
50	826817	438	826886	469	2400
55					
60					
65					
70					

M5				
Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
826818	189	826887	202	4800
826819	199	826888	214	4800
826820	249	826889	267	4800
826821	292	826890	314	4800
826822	317	826891	340	3600
826823	339	826892	364	3600
826824	366	826893	396	3600
826825	499	826894	537	2400
826826	552	826895	593	2400
826827	587	826896	633	1600
826828	625	826897	675	1600
826829	665	826898	719	1600
826830	710	826899	768	1600
826831	760	826900	838	1600

Dia	M6				
Length	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
8	826832	241	826901	265	3600
10	826833	252	826902	279	4800
12	826834	248	826903	276	4800
16	826835	303	826904	336	3600
20	826836	346	826905	384	3600
25	826837	418	826906	463	2400
30	826838	490	826907	543	2400
35	826839	551	826908	611	2400
40	826840	613	826909	681	2000
45					
50	826841	748	826910	830	1600
55	826842	819	826911	908	1600
60	826843	881	826912	978	1200
65	826844	948	826913	1,053	1200
70	826845	980	826914	1,094	1200
75	826846	1,130	826915	1,253	1200
80	826847	1,202	826916	1,333	1000
90					

M8				
Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
826848	541	826917	593	2400
826849	545	826918	601	2400
826850	561	826919	625	2000
826851	641	826920	715	2000
826852	782	826921	873	1600
826853	892	826922	993	1200
826854	980	826923	1,094	1200
826855	1,111	826924	1,238	1200
826856	1,204	826925	1,344	1000
826857	1,338	826926	1,491	1000
826858	1,461	826927	1,627	800
826859	1,761	826928	1,940	800
826860	1,998	826929	2,203	600
826861	2,254	826930	2,472	400
826862	2,552	826931	2,786	400
826863	2,983	826932	3,240	400

- 1. Specifications :** Generally conforming to ISO7380
- 2. Thread :** ISO Metric (Coarse Series) 5g6g.
- 3. Thread :** Fully Threaded upto the head.
- 4. Mechanical Properties :** Properties Class conforming to 10.9
- 5. Plating :** No guarantee can given for DFL products which are plated by users or by outside platers, who may not have considered hydrogen embrittlement problem.



Button Head Cap Screw

Metric

Dia	M10					M12				
Length	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
16	826864	1,099	826933	1,212	1200	826870	1,690	826939	1,863	600
20	826865	1,169	826934	1,299	1200	826871	1,748	826940	1,942	600
25	826866	1,371	826935	1,524	1000	826872	1,984	826941	2,206	600
30	826867	1,438	826936	1,597	1000	826873	2,222	826942	2,469	600
35	826868	1,666	826937	1,851	800	826874	2,459	826943	2,733	500
40	826869	1,862	826938	2,068	800	826875	2,613	826944	2,903	500
50						826876	3,266	826945	3,630	400

1. **Specifications** : Generally conforming to ISO7380

2. **Thread** : ISO Metric (Coarse Series) 5g6g.

3. **Thread** : Fully Threaded upto the head.

4. **Mechanical Properties** : Properties Class conforming to 10.9

5. **Plating** : No guarantee can given for DFL products which are plated by users or by outside platers, who may not have considered hydrogen embrittlement problem.



Countersunk Head Cap Screw

Metric

Dia	M3				
Length	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
8	826572	107	826690	109	4800
10	826573	125	826691	128	4800
12	826574	162	826692	166	4800
16	826575	186	826693	191	3600
20	826576	220	826694	226	3600
25	826577	267	826695	275	3600
30	826578	320	826696	329	2400
35					
40					
45					
50					

M4				
Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
826579	109	826697	114	3600
826580	112	826698	119	3600
826581	122	826699	129	3600
826582	153	826700	162	3600
826583	178	826701	189	3600
826584	223	826702	236	3600
826585	272	826703	289	3600
826586	436	826704	455	3600
826587	662	826705	685	3600
826588	999	826706	1,025	3600
826589	1,137	826707	1,165	2400

Dia	M5				
Length	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
	826590	167	826708	177	3600
10	826591	167	826709	178	3600
12	826592	180	826710	192	3600
16	826593	221	826711	237	3600
20	826594	264	826712	282	3600
25	826595	318	826713	340	3600
30	826596	370	826714	395	3600
35					
40	826597	531	826715	567	2400
45	826598	598	826716	638	2400
50	826599	662	826717	707	1600
55	826600	728	826718	778	1600
60	826601	795	826719	848	1600
65	826602	861	826720	919	1600
70	826603	927	826721	990	1600
75					
80					

M6				
Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
826604	220	826722	236	3600
826605	243	826723	260	3600
826606	274	826724	296	3600
826607	315	826725	341	3600
826608	377	826726	408	2400
826609	439	826727	475	2400
826610	501	826728	542	2400
826611	623	826729	674	2000
826612	699	826730	756	2000
826613	776	826731	840	1600
826614	852	826732	924	1600
826615	929	826733	1,005	1200
826616	1,007	826734	1,089	1200
826617	1,082	826735	1,171	1200
826618	1,234	826736	1,329	1200
826619	1,314	826737	1,416	1000

- Specifications :** Generally conforming to ISO10642 / DIN7991
- Thread :** ISO Metric (Coarse Series) 5g6g.
- Thread :** Fully Threaded upto the head.
- Mechanical Properties :** Properties Class conforming to 10.9
- Plating :** No guarantee can given for DFL products which are plated by users or by outside platers, who may not have considered hydrogen embrittlement problem.

Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST

Toll Free: 1800 890 1039



Countersunk Head Cap Screw

Metric

Dia	M8					M10				
	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
Length										
12	826620	484	826738	520	2400					
16	826621	534	826739	577	2400	826637	937	826755	1,007	1200
20	826622	606	826740	656	2000	826638	994	826756	1,076	1200
25	826623	719	826741	778	1600	826639	1,171	826757	1,267	1000
30	826624	826	826742	894	1600	826640	1,347	826758	1,458	1000
35	826625	937	826743	1,014	1200	826641	1,524	826759	1,649	800
40	826626	1,044	826744	1,130	1200	826642	1,700	826760	1,840	800
45	826627	1,149	826745	1,243	1200	826643	1,877	826761	2,031	800
50	826628	1,404	826746	1,519	1000	826644	2,123	826762	2,298	600
55	826629	1,568	826747	1,699	800	826645	2,320	826763	2,512	600
60	826630	1,748	826748	1,894	800	826646	2,518	826764	2,725	500
65						826647	2,713	826765	2,936	500
70	826631	2,230	826749	2,402	600	826648	2,906	826766	3,145	400
75	826632	2,414	826750	2,601	400	826649	3,301	826767	3,556	400
80	826633	2,599	826751	2,799	400	826650	3,506	826768	3,778	400
90	826634	2,966	826752	3,195	400	826651	3,919	826769	4,223	400
100	826635	3,334	826753	3,592	400	826652	4,332	826770	4,668	300
110	826636	3,813	826754	4,101	400	826653	4,745	826771	5,113	300
120						826654	5,158	826772	5,558	250
130						826655	5,571	826773	6,003	200
140						826656	5,984	826774	6,448	200

- Specifications :** Generally conforming to ISO10642 / DIN7991
- Thread :** ISO Metric (Coarse Series) 5g6g.
- Thread :** Fully Threaded upto the head.
- Mechanical Properties :** Properties Class conforming to 10.9
- Plating :** No guarantee can given for DFL products which are plated by users or by outside platers, who may not have considered hydrogen embrittlement problem.



Countersunk Head Cap Screw

Metric

Dia	M12					M16				
Length	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty	Part No. Black	₹ Price/ 100 Pcs	Part No. Zinc	₹ Price/ 100 Pcs	Carton Qty
25	826657	1,805	826775	1,951	600					
30	826658	2,010	826776	2,175	600	826674	3,653	826792	3,954	300
35	826659	2,265	826777	2,451	500	826675	4,119	826793	4,458	250
40	826660	2,518	826778	2,725	500	826676	4,591	826794	4,970	250
45	826661	2,776	826779	3,004	400	826677	5,060	826795	5,476	250
50	826662	3,032	826780	3,282	400	826678	5,530	826796	5,985	250
55	826663	3,420	826781	3,702	400	826679	5,998	826797	6,493	200
60	826664	3,808	826782	4,122	300	826680	6,467	826798	7,000	200
65						826681	7,148	826799	7,736	150
70	826665	4,436	826783	4,802	300	826682	7,829	826800	8,473	150
75	826666	4,751	826784	5,141	300					
80	826667	5,064	826785	5,481	250	826683	8,957	826801	9,695	150
90	826668	5,691	826786	6,160	250	826684	10,086	826802	10,916	125
100	826669	6,728	826787	7,249	100	826685	11,214	826803	12,138	100
110	826670	7,396	826788	7,969	100	826686	12,342	826804	13,359	100
120	826671	8,065	826789	8,688	150	826687	13,471	826805	14,581	60
130	826672	8,733	826790	9,408	150	826688	14,599	826806	15,801	60
140	826673	9,401	826791	10,128	150	826689	15,727	826807	17,023	60

- Specifications :** Generally conforming to ISO10642 / DIN7991
- Thread :** ISO Metric (Coarse Series) 5g6g.
- Thread :** Fully Threaded upto the head.
- Mechanical Properties :** Properties Class conforming to 10.9
- Plating :** No guarantee can given for DFL products which are plated by users or by outside platers, who may not have considered hydrogen embrittlement problem.

Specialized Coatings

The product's life and quality is measured not only by its grades and standards but also by its finish, which prevents it from rusting and adds strength to the material.

Deepak Fasteners offers a wide range of generic and proprietary coating to meet exacting customer requirements. In-house capability includes Zinc / Zinc-Nickel Electroplating, Geomet, Mechanical Galvanizing, Delta Dorken, Hot Dip Galvanizing, PTFE, Unbrako Wiscoat.



Recommended Retail Prices in Rupees per 100 Pieces Exclusive of GST

Toll Free: **1800 890 1039**

Construction Fasteners

Arc Welding Stud



The UNBRAKO Arc Welding Stud also known as shear connector is used in the construction of tall buildings, bridges and steel structures. The drawn-arc process produces a full cross-sectional weld forming a bond that is greater than the surrounding material. It improves the strength of the structure.

Product Range :
Metric: M13, M16, M19,
M22, M25 – Any Length

Inch: 1/2", 5/8", 3/4",
7/8", 1" – Any Length

Direct Tension Indicator



UNBRAKO Direct Tension Indicator also known as Auto Torque Indicator, are single-use mechanical load cells designed to indicate the magnitude of preload in the assembly. It shows if the bolt is properly tensioned, very useful while tensioning High Strength Structural Bolts.

Product Range :
Metric: M16 – M36 as per
BS EN 14399-9
Unbrako Feeler Gauge is
available to check if the
required torque is achieved.

Tension Control Structural Bolt



Tension Control Structural Bolt is an easy to install Heavy Duty Bolt used in Steel Frame Construction. It has its own built-in torque control device. The outer socket of wrench rotates the nut until the torque control groove in the spline shears off, thereby achieving proper bolt tension.

Product Range :
Metric: M12 – M30
(any length) – As Per
BS EN 14399 - 10

Unbrako Electric Shear
Wrench is also Available.

Rebar Coupler



Unbrako Rebar Coupler Systems, also known as Reinforcing bar couplers or coupler splicing connection, is a threaded sleeve that guarantees an ultimate tensile strength of the splice (joint) greater than that of the parent bar. Coupler splicing system is suitable for joining reinforcement bars end to end.

Product Range :
Metric: 13mm to 57mm
Bar Diameter

As per ASTM A615, ASTM A706,
ASTM A775, ACI 318, ACI 349,
A.A.S.H.T.O and UBC 1997.



Unbrako provides complete
equipment for bar-end
preparation on site.

Prices available on request.
Contact Unbrako for further detail.

In Fasteners Engineering
You Name It, We Have It



Deepak Fasteners Limited

First Mall, The Mall, Ludhiana - 141001. (INDIA)

Tel: +91-161-5131111, 7131111, Fax: +91-161-2449050, 2774400

EASTERN REGION OFFICE

Deepak Fasteners Ltd.
H.M.P. House, Mezannine Floor,
Room No.34, No.4 Fairlie Place,
Kolkata-700001.
Mob. 93782-07773
E-mail: kolkata@deepakfasteners.com

SOUTHERN REGION OFFICE

Deepak Fasteners Limited
Ega Trade Centre, 1st Floor, Office No. 5,
809, Poonamallee High Road,
Kilpauk, Chennai - 600010
Mob.: 90251-17708
Tel. No. 044-26612451, 42858843
E-mail: chennai.mkt@deepakfasteners.com

WESTERN REGION OFFICE

Deepak Fasteners Limited.
Office No-233, Bldg-D-8, 2nd Floor, Bhumi World,
Pimplas Mumbai Nasik Highway (NH-3)
Dist, Thane-421302.
Mob. 93237-69275, 93205-62822.
E-mail: vilas@deepakfasteners.com,
mumbai@deepakfasteners.com

AHMEDABAD OFFICE

Deepak Fasteners Limited.
308, Basant Complex, opp. Hdfc Bank
House, Above State Bank of India,
Char Rasta, Navrangpura,
Ahmedabad-380009
Mob. 93756-90170
E-mail: gujarat.sales1@deepakfasteners.com