

Price List for SS 304 & 316 Grade Fasteners

Dated 24/08/2026



AGARWAL SONS

HOUSE OF FASTENERS, HAND TOOLS AND GENERAL HARDWARE

61 (OLD NO 28/2), JONES STREET,
CHENNAI – 600 001, INDIA

PH: +91-44-42815862

MOB: +919841041782, +919841074621


EMAIL: agarwallsons@gmail.com

sanjay@agarwalfasteners.in

Website: <https://agarwalfasteners.in>

HEX HEAD BOLT / HEX HEAD SCREW
DIN 933 / IS : 1364-1992 / ISO 4017


HSN CODE : 73181500


Fully Threaded - A2 70
Metric - SS 304

D \ L	10	12	16	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	100
3	194	213	222	248	284	443	532	656	744	764	-	-	-	-	-	-	-	-	-
4	247	255	278	309	347	413	480	652	701	731	1018	1076	1140	1205	1275	1349	1423	1498	1647
5	342	364	391	440	496	567	658	778	851	911	1664	1868	2087	2188	2313	2508	2878	3066	3495
6	485	518	570	625	699	791	864	946	1035	1105	1281	1344	1460	1533	1692	1757	1956	1999	2223
8	-	-	1139	1250	1380	1569	1689	1831	2038	2155	2343	2445	2667	2744	2871	3197	3368	3524	3863
10	-	-	2170	2279	2519	2729	2961	3196	3455	3723	3974	4219	4541	4674	5023	5228	5621	5750	6151
12	-	-	-	3446	3727	3988	4386	4735	5050	5441	5730	6069	6392	6713	7090	7422	7846	8182	8864
14	-	-	-	-	6337	6725	7225	7624	8172	8639	9261	9578	10282	10672	11195	11731	12764	13413	13804
16	-	-	-	-	7850	8115	8741	9373	9967	10633	11273	11981	12450	12794	13528	14396	14950	15695	17086
18	-	-	-	-	-	-	-	14088	15164	15755	17059	17724	18824	19496	20600	21408	22282	22985	24262
20	-	-	-	-	-	-	-	16199	17414	18296	19010	20025	21200	22418	23274	24380	25513	26643	28676
22	-	-	-	-	-	-	-	23752	25227	26897	28232	29706	31001	32139	33962	35666	36820	38051	41222
24	-	-	-	-	-	-	-	28733	30140	31220	32181	33847	35453	37219	38736	40381	42286	44204	47748

All dimensions are in mm


HSN CODE : 73181500

HEX HEAD BOLT / HEX HEAD SCREW
DIN 933 / IS : 1364-1992 / ISO 4017

Fully Threaded - A2 70
Metric - SS 304

D \ L	110	120	125	130	140	150	160	170	180	200	225	250
8	4275	4589	4748	4978	5394	5724	-	-	-	-	-	-
10	6876	7524	7831	8049	8552	9425	11400	14250	17812	22266	-	-
12	9704	10515	11032	11589	12226	13155	14008	20342	22155	26377	-	40449
16	18531	19974	20635	21258	22549	24242	25956	29193	31850	34681	-	-
20	32041	34051	35093	36329	38498	40780	42634	44858	46897	51587	54741	-
22	46837	50141	51863	53946	56205	58660	-	-	-	-	-	-
24	52830	56352	58141	60047	63518	67004	70440	73749	77385	84528	-	-

All dimensions are in mm


HSN CODE : 73181500

HEX HEAD BOLT / HEX HEAD SCREW
BS-1083 / 1965

Full Threaded - A2
Inch () - SS 304

D \ L	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"	3.1/2"	4"	5"	6"	7"	8"
1/8"	284	308	333	557	690	775	-	-	-	-	-	-	-	-
3/16"	326	379	432	518	662	822	1178	1416	-	-	-	-	-	-
1/4"	646	744	861	977	1104	1340	1704	1972	2150	2437	-	-	-	-
5/16"	1146	1310	1502	1692	1888	2263	2656	3049	3569	4162	5060	-	-	-
3/8"	1790	2040	2308	2594	2881	3446	4008	4576	5134	5706	7473	9028	-	-
7/16"	-	-	4243	4703	5112	5952	6837	7723	8594	9432	11240	12864	-	-
1/2"	-	-	4880	5408	5879	6845	7862	8881	9883	10847	12926	14794	21194	25469
5/8"	-	-	9011	9245	9992	11648	13068	15363	16113	17567	21815	25105	30715	34639
3/4"	-	-	-	-	18409	20304	22774	25275	27752	30344	39478	45117	-	-

All dimensions are in inches

HSN CODE : 73181600

HEX NUT
DIN 934 / IS : 1364 P3-2002 / ISO 4032

Metric - SS 304 - A2 70


1 A	M 2	M2.5	M 3	M 4	M 5	M 6	M 8	M10	M12	M14	M16	M18	M20	M22	M24	M27	M30	M33	M36
304Q	178	212	103	135	165	273	532	1165	1763	2727	3597	6942	6942	11654	11654	26395	39397	45665	63156

All dimensions are in mm

Trade Discounts and Taxes apply

HEX NUT
BS-1083/1965

HSN CODE : 73181600



Inch () - SS 304 - A2

DIA	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"		
304Q	175	185	206	407	604	1027	2017	2610	4667	9041		


All dimensions are in inches

PLAIN WASHER
DIN 125/IS:2016-1967/ISO 7089

HSN CODE : 73182200

SPRING WASHER
DIN 127/IS:3063-1927

HSN CODE : 73182100




THICK	1.2MM	1.6MM	2MM	2.5MM	3MM	IS
M3 (1/8")	97	-	-	-	-	97
M4 (5/32")	108	-	-	-	-	108
M5 (3/16")	135	173	-	-	-	135
M6 (1/4")	173	281	351	405	432	281
M8 (5/16")	259	378	432	648	745	378
M10 (3/8")	378	529	702	864	1188	702
M12 (1/2")	443	702	945	1404	1674	1404
M14 (9/16")	821	1112	1485	1663	1998	1998
M16 (5/8")	864	1280	1669	2036	2322	2322
M18	1188	1485	2052	2484	2889	2889
M20 (3/4")	1242	1620	2160	2592	3078	3078
M22 (7/8")	-	-	2322	-	3618	3618
M24 (1")	1836	2106	2862	0	5184	7128
M27	-	-	-	-	5616	7452
M30	-	-	-	-	7290	8964
M33	-	-	-	-	8964	11340
M36	-	-	-	-	9180	14688

All dimensions are in mm

SIZE	SQUARE	FLAT
M3 (1/8")	86	140
M4 (5/32")	97	151
M5 (3/16")	119	189
M6 (1/4")	157	313
M8 (5/16")	243	405
M10 (3/8")	378	621
M12 (1/2")	637	972
M14 (9/16")	918	1566
M16 (5/8")	1188	1998
M18	1674	2511
M20 (3/4")	1944	2754
M22 (7/8")	2592	4320
M24 (1")	3618	5238
M27	4320	6264
M30	6048	8100
M33	10368	11880
M36	12420	14580

All dimensions are in inches

ALLEN CAP BOLT
DIN 912 / ISO 4762

HSN CODE : 73181500


Fully Threaded - A2 70
Metric - SS 304

D	L	6	8	10	12	16	20	25	30	35	40	45	50	60	70	75	80	90	100
3		368	359	368	377	422	467	539	703	-	-	-	-	-	-	-	-	-	-
4		454	432	402	414	477	536	577	702	789	949	1112	1274	1807	2404	2787	3172	4155	5401
5		-	554	536	569	637	715	804	925	1056	1232	1363	1495	2853	3451	3796	4141	4969	5962
6		-	-	735	756	832	924	1012	1129	1218	1374	1537	1600	2002	2336	2595	2938	3335	3908
8		-	-	-	1790	1640	1715	1898	2176	2373	2547	2772	2939	3498	3869	4505	4753	5507	5919
10		-	-	-	-	3290	3070	3453	3645	4049	4333	4635	4982	5620	6384	6749	7117	8755	9622
12		-	-	-	-	-	5870	5634	5764	6130	6612	7186	7585	8544	9120	9964	10725	11628	12768
14		-	-	-	-	-	-	10283	10498	11050	11605	12413	13148	14632	16483	18502	19026	21212	23355
16		-	-	-	-	-	-	-	13279	12471	13651	14785	15297	17111	19015	20182	21073	23138	25237
20		-	-	-	-	-	-	-	-	-	25874	26928	28472	31668	34703	36532	38076	41151	44699
24		-	-	-	-	-	-	-	-	-	40904	43136	44887	49963	53570	55766	57707	62460	67539

All dimensions are in mm

ALLEN CAP BOLT
DIN 912 / ISO 4762


HSN CODE : 73181500

**Fully Threaded - A2 70**
Metric - SS 304

D	L	110	120	125	130	140	150				
8		6818	7343	8050	8547	-	-				
10		11412	12298	12853	13089	15020	16951				
12		16751	17913	18639	18987	20765	22128				
16		31354	33584	35762	37240	39261	41758				
20		52471	53289	55679	57901	61118	64411				

All dimensions are in mm


Trade Discounts and Taxes apply

**ALLEN CAP BOLT
BS 2470****Fully Threaded - A2
Inch () - SS 304**

HSN CODE : 73181500

D \ L	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"	3.1/2"	4"
3/16"	786	808	876	977	1134	-	-	-	-	-
1/4"	1062	1157	1287	1454	1670	2029	2562	3238	3941	4439
5/16"	1829	1935	2018	2364	2595	3067	3944	4664	-	-
3/8"	-	2846	3021	3400	3853	4697	5673	6801	7728	8423
1/2"	-	-	-	7522	8261	9266	10716	12037	14518	16918
5/8"	-	-	-	-	14686	16919	20068	23641	27514	29455


All dimensions are in inches

**ALLEN CSK
DIN 7991 / IS:6761-1972****Fully Threaded - A2 70
Metric - SS 304**

HSN CODE : 73181500

D \ L	6	8	10	12	16	20	25	30	35	40	50	60	70	80	90	100
3	127	127	134	155	197	272	351	-	-	-	-	-	-	-	-	-
4	196	184	202	209	248	308	357	422	485	569	797	1116	1562	2187	3062	4286
5	308	291	280	307	369	437	529	621	710	803	992	1290	1676	2179	2833	3683
6	-	-	451	479	558	655	771	906	1021	1157	1390	1679	2100	2718	3099	3739
8	-	-	-	-	1160	1213	1476	1700	1960	2160	2552	3000	3373	3825	4466	4801
10	-	-	-	-	-	2454	2655	2947	3186	3758	4202	5101	5627	6577	6966	7920
12	-	-	-	-	-	-	4294	4874	4918	5213	6233	7506	8795	9557	10557	11684
16	-	-	-	-	-	-	-	-	-	10695	12248	14328	16508	18984	20804	22667


All dimensions are in mm

**ALLEN CSK
BS 84****Fully Threaded - A2
Inch () - SS 304**

HSN CODE : 73181500

D \ L	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"		
3/16"	800	950	1050	1150	1350	1500	-	-		
1/4"	1000	1000	1150	1250	1450	1650	2050	-		
5/16"	-	2300	2500	2650	3050	3450	4050	4850		
3/8"	-	3800	3800	4000	4600	5200	6000	7200		
1/2"	-	-	8200	9000	12000	16000	19000	20000		

All dimensions are in inches

**SLOTTED CHEESE HD SCREW
DIN 84 / IS:1366-1982 / ISO 1207
ROUND HD SCREW****Fully Threaded - A2 70
Metric - SS 304**

HSN CODE : 73181500


**PAN HEAD SCREW
DIN 85 / IS:6101-1982 / ISO : 1580**

D \ L	4	6	8	10	12	16	20	25	30	35	40	50	60	70	80	90	100
2	180	173	173	181	188	223	263	-	-	-	-	-	-	-	-	-	-
2.5	188	181	191	209	223	254	302	420	-	-	-	-	-	-	-	-	-
3	-	187	183	195	213	247	312	391	570	734	-	-	-	-	-	-	-
4	-	270	278	292	317	361	414	490	571	639	749	927	-	-	-	-	-
5	-	398	414	441	492	548	619	717	817	925	1057	1283	-	-	-	-	-
6	-	-	-	642	678	797	878	1050	1174	1348	1498	1790	2135	2428	2748	-	-
8	-	-	-	-	-	1968	2226	2367	2677	2929	3299	3915	4081	4546	4988	-	-
10	-	-	-	-	-	-	3459	3876	4366	4854	5295	6196	7262	8370	9256	10275	10930

All dimensions are in mm

Trade Discounts and Taxes apply

SLOTTED CHEESE HD SCREW
BS 450
ROUND HEAD SCREW



Fully Threaded - A2 70
- SS 304

HSN CODE : 73181500

D \ L	1/4"	3/8"	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"
1/8"	202	222	247	302	385	608	771	1157	-	-
5/32"	251	284	319	398	467	547	736	933	-	-
3/16"	-	391	453	558	681	804	931	1167	-	-
1/4"	-	749	811	993	1178	1401	1577	2012	2511	2935
5/16"	-	-	1800	2077	2369	2697	3051	3939	4738	5617
3/8"	-	-	2900	3190	3580	4425	4866	5981	7131	8802

All dimensions are in inches

PAN PHILIPS SCREW
DIN 7985 / IS:7483-1985 / ISO 7045


HSN CODE : 73181500

Fully Threaded - A2 70
Metric - SS 304

D \ L	4	6	8	10	12	16	20	25	30	35	40	50	60	70	80	90	100
2	143	137	137	143	149	177	210	-	-	-	-	-	-	-	-	-	-
2.5	149	143	151	166	177	202	239	333	-	-	-	-	-	-	-	-	-
3	-	134	132	147	164	187	235	294	429	552	538	768	-	-	-	-	-
4	-	214	234	240	261	289	335	407	474	523	624	774	1006	1308	1700	2210	2873
5	-	333	332	360	392	438	523	597	694	789	896	1057	1289	1573	1919	2341	2856
6	-	-	-	498	547	614	717	832	958	1173	1239	1500	1857	2111	2390	2510	2820
8	-	-	-	-	-	1639	1855	1972	2230	2440	2748	3261	3401	3789	4158	4674	5227
10	-	-	-	-	-	-	2882	3230	3638	4044	4412	5162	6050	6971	7708	8557	9101

All dimensions are in mm

BUTTON HEAD SCREW
ISO 7380




Fully Threaded - A2 70
Metric - SS 304

HSN CODE : 73181500

D \ L	6	8	10	12	16	20	25	30	35	40	50	60	70	80	90	100	
3	156	156	159	179	225	270	306	-	-	-	-	-	-	-	-	-	
4	199	199	198	223	270	330	385	444	541	653	1012	1569	-	-	-	-	
5	315	315	320	334	403	476	557	663	770	826	1074	1396	-	-	-	-	
6	-	-	426	465	556	666	774	912	1068	1199	1452	1814	2268	2835	3544	4430	
8	-	-	-	-	1202	1308	1548	1805	1999	2307	2645	3048	3658	4390	5268	6321	
10	-	-	-	-	-	2452	2853	3063	3562	3780	4515	5393	6741	8426	10532	13166	
12	-	-	-	-	-	4077	4692	4883	5512	6052	7193	8301	-	-	-	-	

All dimensions are in mm

CSK PHILIPS SCREW
DIN 965 / IS:7485-1985 / ISO 7047




Fully Threaded - A2 70
Metric - SS 304

HSN CODE : 73181500

D \ L	4	6	8	10	12	16	20	25	30	35	40	50	60	70	80	90	100
2	145	137	137	144	147	175	211	-	-	-	-	-	-	-	-	-	-
2.5	147	144	152	166	175	210	240	278	-	-	-	-	-	-	-	-	-
3	-	125	113	127	138	161	211	267	400	528	-	-	-	-	-	-	-
4	-	179	183	190	205	243	293	361	424	468	573	717	932	1211	1575	2047	2661
5	-	239	245	250	273	344	409	502	583	673	793	976	1250	1600	2048	2621	3355
6	-	-	-	423	437	505	588	695	831	965	1079	1348	1656	1915	2113	2429	2794
8	-	-	-	-	-	1350	1531	1731	1967	2195	2471	3037	3528	4017	4633	5560	6671
10	-	-	-	-	-	-	2387	2704	3120	3516	3942	4777	5474	6666	7470	8505	9175
12	-	-	-	-	-	-	4081	4349	4875	5229	6033	7235	8209	8641	10213	11395	12440

All dimensions are in mm


Trade Discounts and Taxes apply

SLOTTED COUNTERSUNK HEAD SCREW
DIN 963 / IS:1365-1978 / ISO 2009

Fully Threaded - A2 70
Metric - SS 304

HSN CODE : 73181500

D \ L	4	6	8	10	12	16	20	25	30	35	40	50	60	70	80	90	100
2	183	173	172	181	185	220	264	-	-	-	-	-	-	-	-	-	-
2.5	185	181	192	209	220	264	302	350	-	-	-	-	-	-	-	-	-
3	-	167	156	175	201	220	320	365	541	703	-	-	-	-	-	-	-
4	-	232	222	244	254	303	365	435	512	566	696	950	-	-	-	-	-
5	-	311	300	325	360	431	514	609	724	838	962	1189	-	-	-	-	-
6	-	-	-	501	538	597	727	853	997	1157	1294	1617	1986	2297	2534	-	-
8	-	-	-	-	-	1639	1858	2100	2386	2664	2998	3685	4280	4873	5621	-	-
10	-	-	-	-	-	-	2866	3247	3746	4222	4732	5735	6572	8005	8970	10213	11018
12	-	-	-	-	-	-	4954	5278	5914	6343	7318	8777	9957	10480	12387	13820	15088

All dimensions are in mm

SLOTTED COUNTERSUNK HEAD SCREW
BS 450/1958

Fully Threaded - A2 70
Inches () - SS 304

HSN CODE : 73181500

D \ L	1/4"	3/8"	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"	3.1/2"	4"
1/8"	182	203	236	279	371	596	758	1145	-	-	-	-
5/32"	213	250	289	366	455	526	700	907	-	-	-	-
3/16"	-	305	348	453	610	766	887	1106	-	-	-	-
1/4"	-	552	681	816	980	1197	1355	1792	2355	2771	-	-
5/16"	-	-	1614	1926	2195	2658	3007	3836	4671	5537	-	-
3/8"	-	-	2859	2817	3203	3942	4310	5415	6460	8298	-	-
1/2"	-	-	-	-	6122	7484	8535	10501	12486	14175	16409	22103

All dimensions are in inches


HEX THIN NUT / LOCK NUT
DIN 439 / IS : 1364 / ISO : 4035

A2 35
Metric - SS 304

HSN CODE : 73181600

§ ZE	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 20	M 24	M 27	M 30	M 33	M 36
304	162	199	382	789	1143	2124	2299	4896	9194	22518	32287	42424	55527


All dimensions are in mm

NYLOCK NUT
DIN 982 / IS:7002-1972 / ISO 7040

A2 70
Metric - SS 304

HSN CODE : 73181600

§ ZE	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 20	M 24		
304	263	260	333	499	883	1677	2603	4770	5724	10800	35500		

All dimensions are in mm

NYLOCK NUT

A2 70
Inch () - SS 304


HSN CODE : 73181600

BSW	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
304	1200	1350	2020	3300	5800	9850	18800

All dimensions are in inches

Trade Discounts and Taxes apply

DOM NUT
DIN 1587/IS:7790



A2 70
Metric - SS 304

HSN CODE : 73181600

SIZE	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 16	M 20	M 24	M 30
304	381	401	486	706	1457	2711	3982	8768	16589	63600	155820

All dimensions are in mm



DOME BOLT

HSN CODE : 7318

Fully Threaded - A2 70
Metric - SS 304

D	L	10 mm	12 mm	16 mm	20 mm	25 mm	30 mm	35 mm	40 mm	50 mm
5 mm		1600	1700	1950	2050	2200	2350	-	-	-
6 mm		2150	2250	2300	2400	2500	2600	2750	3200	3350
8 mm		-	-	3400	3600	3700	3850	4000	4300	4600
10 mm		-	-	-	8050	8500	9000	9500	10000	12000

All dimensions are in mm


STUD (ONE METER LONG) DIN 975

HSN CODE : 73181900

A2 70
Metric - SS 304

SIZE	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 20	M 24
304	14882	15670	17117	29491	46346	67659	92980	123077	196314	285548

ALLEN GRUB SCREW
DIN 916 / IS:6094-1981 (CP) ISO 4029



Fully Threaded - A2 70
Metric - SS 304

HSN CODE : 73181500

D	L	3	4	5	6	8	10	12	16	20	25	30	35	40	45	50	55	60	65
3		142	128	132	142	164	195	267	534	711	-	-	-	-	-	-	-	-	-
4		192	151	159	174	210	237	285	385	502	686	916	-	-	-	-	-	-	-
5		256	184	192	219	275	331	385	530	686	988	1234	1554	1968	-	-	-	-	-
6		-	290	255	265	335	414	502	687	880	1172	1471	1761	2202	2819	3523	-	-	-
8		-	-	-	485	573	706	880	1233	1586	2115	2642	3039	3479	4097	4845	5639	6092	-
10		-	-	-	846	846	1018	1255	1780	2329	3050	3768	4574	5505	6352	7201	8046	9317	-
12		-	-	-	-	1524	1566	2551	2625	3430	4447	5463	6606	7623	8892	10164	11435	13127	16939
16		-	-	-	-	-	-	6098	6775	7877	8892	10587	12281	13976	15247	16939	18634	20751	-

All dimensions are in mm

CSK PHILIPS & CSK SELF TAPPING SCREW
DIN 7972 / IS 7170 - 1974 / ISO 1482




Fully Threaded - A2 70
SS 304

HSN CODE : 73181400

No.	L	6.5	9.5	13	16	19	25	32	38	50	60	75	100
4		110	126	142	161	-	-	-	-	-	-	-	-
6		134	156	174	201	237	301	357	-	-	-	-	-
8		-	204	235	269	297	371	461	548	815	1060	1378	1929
10		-	271	294	324	386	483	567	690	1025	1435	1866	2519
12		-	404	439	506	572	713	886	891	1215	1580	2212	3097
14		-	-	-	635	740	926	1181	1356	1995	-	-	-

All dimensions are in mm

PAN PHILIPS & PAN HEAD SELF TAPPING SCREWS
DIN 7981 / ISO 7049




Fully Threaded - A2 70
SS 304

HSN CODE : 73181400

No.	L	6.5	9.5	13	16	19	25	32	38	50	60	75	100
4		130	142	150	170	218	-	-	-	-	-	-	-
6		168	189	204	231	270	327	384	-	-	-	-	-
8		-	257	285	325	355	422	509	601	853	1109	1441	2018
10		-	343	373	436	483	572	682	789	948	1331	1730	2335
12		-	527	573	637	632	834	1014	1168	1407	1829	2561	3586
14		-	-	-	849	930	1132	1352	1505	2034	-	-	-

All dimensions are in mm

Trade Discounts and Taxes apply


HEX HEAD BOLT / HEX HEAD SCREW
DIN 933 / IS : 1364-1992 / ISO 4017


HSN CODE : 73181500

Fully Threaded - A4 70
Metric - SS 316

D \ L	10	12	16	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	100
6	841	857	970	1098	1227	1370	1514	1653	1827	1987	2180	2299	2528	2666	2871	2996	3353	3435	3765
8	-	-	1988	2224	2477	2742	3003	3260	3565	3786	4093	4315	4660	4836	5089	5419	5866	6065	6536
10	-	-	3781	4142	4533	4917	5292	5712	6114	6544	6963	7393	7957	8190	8798	9053	9740	9925	10608
12	-	-	-	6166	6697	7283	7906	8510	8875	9720	10076	10921	11237	12120	12771	13376	13781	14652	15884
14	-	-	-	-	10296	10977	11792	12442	13326	14100	15112	15669	16776	17436	18329	19194	20880	21955	22578
16	-	-	-	-	13405	14129	15221	16322	17355	18519	19629	20865	21685	22841	23698	25326	26482	27570	29551
20	-	-	-	-	-	-	-	28047	30150	31677	32912	34669	36545	38636	40296	42210	43855	45632	48939
22	-	-	-	-	-	-	-	37251	39564	42183	44276	46588	48619	50405	53264	55935	57745	59677	64650
24	-	-	-	-	-	-	-	47868	50213	52012	53612	56388	59064	62007	64533	67274	69976	72904	78486

All dimensions are in mm


HEX HEAD BOLT / HEX HEAD SCREW
DIN 933 / IS : 1364-1992 / ISO 4017


HSN CODE : 73181500

Fully Threaded - A4 70
Metric - SS 316

D \ L	110	120	125	130	140	150	160	170	180	200	225
8	7130	7640	7877	8216	8839	9394	-	-	-	-	-
10	11654	12578	13015	13419	14157	14969	16376	-	-	-	-
12	16615	17944	18726	19524	20651	22080	23369	30394	32875	38645	-
16	31896	34163	35272	36373	38356	41207	43800	48036	51789	56160	-
20	53553	56911	58653	60718	64343	68158	71256	74974	78382	86220	91902
22	69160	74039	76581	79658	82992	86618	-	-	-	-	-
24	85500	91200	94095	97180	102798	108439	114000	119356	125239	136800	-

All dimensions are in mm


DOM NUT
DIN 1587/IS:7790


HSN CODE : 73181600

A4 70
Metric - SS 316

SIZE	M 4	M 5	M 6	M 8	M 10	M 12	M 16	M 20	M 24	
316	498	568	1201	2614	4705	7703	14622	28408	95400	

All dimensions are in mm

HEX HEAD BOLT / HEX HEAD SCREW
BS-1083 / 1965


HSN CODE : 73181500

Fully Threaded - A4
Inch () - SS 316

D \ L	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"	3.1/2"	4"	5"	6"
1/4"	1074	1253	1450	1682	1855	2252	2779	3209	3548	4019	-	-
5/16"	1904	2199	2524	2845	3174	3812	4469	5126	5911	7063	-	-
3/8"	2975	3414	3872	4348	4825	5769	6711	7658	8597	9548	12055	14382
1/2"	-	-	8219	9091	9901	11555	13255	14960	16647	18296	21574	24527
5/8"	-	-	14960	15577	16830	19692	22183	25884	27142	29565	36400	41791
3/4"	-	-	-	-	32647	36008	40388	44825	49217	53814	62783	71752

All dimensions are in inches

HEX NUT
DIN 934 / IS:1364 P3-2002 / ISO 4032

HSN CODE : 73181600

A4 80
Metric - SS 316

SIZE	M 2	M 2.5	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30	M 33	M 36
316Q	387	383	148	199	259	451	912	1987	3040	5002	6058	11666	11666	19529	19529	39759	55159	69056	92070

All dimensions are in mm

HEX NUT
BS - 1083 / 1965

HSN CODE : 73181600

A4
Inch () - SS 316

SIZE	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"		
316Q	329	355	349	699	1021	1691	3697	4480	7917	14541		

All dimensions are in inches

Trade Discounts and Taxes apply

ALLEN CAP BOLT
DIN 912 / ISO 4762

HSN CODE : 73181500

Fully Threaded - A4 70
Metric - SS 316

D	L																	
		434	452	463	475	544	606	712	-	-	-	-	-	-	-	-	-	-
		609	615	555	597	674	756	843	1056	1199	1387	-	-	-	-	-	-	-
		-	-	789	835	948	1058	1218	1390	1616	1857	2054	2251	-	-	-	-	-
		-	-	1145	1178	1314	1428	1573	1771	1931	2232	2462	2613	3173	3526	3853	4214	4864
		-	-	-	2704	2662	2805	3092	3553	3812	4104	4516	4730	5425	6273	6973	7451	8400
		-	-	-	-	-	4864	5526	5829	6341	6962	7422	7989	9010	10278	10811	11437	14136
		-	-	-	-	-	-	8699	9075	9748	10566	11548	12116	13681	14593	15838	17043	18463
		-	-	-	-	-	-	-	20073	22020	23844	24679	27714	30473	32321	35259	38807	41996
		-	-	-	-	-	-	-	-	39767	42142	44898	49734	54715	57605	60051	64922	69826
		-	-	-	-	-	-	-	-	61308	64644	67150	74878	80244	83518	86522	93522	101084

All dimensions are in mm

**HEX THIN NUT / LOCK NUT**
DIN 439 / IS:1364 / ISO : 4035

HSN CODE : 73181600


A4 40
Metric - SS 316

SIZE	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 20	M 24
316	327	311	624	1288	1889	3324	3824	7844	14638


All dimensions are in mm

PLAIN WASHER
DIN 125/IS:2016-1967/ISO 7089
A4

HSN CODE : 73182200

**SPRING WASHER**
DIN 127/IS:3063-1927**A4**

HSN CODE : 73182100




THICK	1.2MM	1.6MM	2MM	2.5MM	3MM	IS
M3 (1/8")	213	-	-	-	-	213
M4 (5/32")	226	-	-	-	-	226
M5 (3/16")	238	262	-	-	-	238
M6 (1/4")	297	356	-	-	-	356
M8 (5/16")	487	535	701	832	856	535
M10 (3/8")	683	938	1099	1426	1544	1099
M12 (1/2")	1040	1129	1247	1723	2020	1723
M14 (9/16")	-	1752	2079	2317	2673	2673
M16 (5/8")	1426	1901	2257	2614	2970	2970
M18	-	-	-	-	3802	3802
M20 (3/4")	-	-	-	-	4514	4514
M22 (7/8")	-	-	-	-	4990	4990
M24 (1")	-	-	-	-	6534	8316
M27	-	-	-	-	8316	9742
M30	-	-	-	-	9207	12474
M33	-	-	-	-	13662	16632
M36	-	-	-	-	14850	19602

SIZE	SQUARE	FLAT
M3 (1/8")	208	250
M4 (5/32")	226	267
M5 (3/16")	262	297
M6 (1/4")	344	386
M8 (5/16")	446	624
M10 (3/8")	683	891
M12 (1/2")	1010	1544
M14 (9/16")	1307	1841
M16 (5/8")	1663	2792
M18	2376	3445
M20 (3/4")	2911	4455
M22 (7/8")	3920	5465
M24 (1")	5524	7841
M27	6475	8910
M30	8316	13068
M33	14256	18414
M36	19008	20790

NYLOCK NUT
DIN 982 / IS : 7002 - 1972 / ISO 7040

HSN CODE : 73181600

A4 80
Metric - SS 316

SIZE	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 20	M 24
316	307	346	465	720	1315	2553	3782	6300	8541	25000	63600

All dimensions are in mm

STUD (ONE METER LONG) DIN 975

HSN CODE : 73181900

A4 80
Metric - SS 316

SIZE	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 20	M 24
316	21805	26306	29187	50995	79423	115385	159821	211282	336538	489510

Trade Discounts and Taxes apply